

BS EN 60079-14:2014

Incorporating corrigendum January 2016



BSI Standards Publication

Explosive atmospheres

Part 14: Electrical installations design,
selection and erection

bsi.

This is a preview. [Click here to purchase the full publication.](#)

National foreword

This British Standard is the UK implementation of EN 60079-14:2014. It is identical to IEC 60079-14:2013, incorporating corrigendum January 2016. It supersedes BS EN 60079-14:2008 which is withdrawn.

The start and finish of text introduced or altered by corrigendum is indicated in the text by tags. Text altered by IEC corrigendum January 2016 is indicated in the text by AC1 AC1.

National Annex NA (informative) gives guidance on cable glands for flameproof enclosures.

The UK participation in its preparation was entrusted by Technical Committee EXL/31, Equipment for explosive atmospheres, to Subcommittee EXL/31/3, Codes of practice.

A list of organizations represented on this subcommittee can be obtained on request to its secretary.

This publication does not purport to include all the necessary provisions of a contract. Users are responsible for its correct application.

© The British Standards Institution 2016.
Published by BSI Standards Limited 2016

ISBN 978 0 580 93501 5

ICS 29.260.20

Compliance with a British Standard cannot confer immunity from legal obligations.

This British Standard was published under the authority of the Standards Policy and Strategy Committee on 30 June 2014.

Amendments/corrigenda issued since publication

Date	Text affected
30 April 2016	Implementation of IEC corrigendum January 2016

**Explosive atmospheres -
Part 14: Electrical installations design, selection and erection
(IEC 60079-14:2013)**

Atmosphères explosives -
Partie 14: Conception, sélection et
construction des installations électriques
(CEI 60079-14:2013)

Explosionsgefährdete Bereiche -
Teil 14: Projektierung, Auswahl und
Errichtung elektrischer Anlagen
(IEC 60079-14:2013)

This European Standard was approved by CENELEC on 2014-01-02. CENELEC members are bound to comply with the CEN/CENELEC Internal Regulations which stipulate the conditions for giving this European Standard the status of a national standard without any alteration.

Up-to-date lists and bibliographical references concerning such national standards may be obtained on application to the CEN-CENELEC Management Centre or to any CENELEC member.

This European Standard exists in three official versions (English, French, German). A version in any other language made by translation under the responsibility of a CENELEC member into its own language and notified to the CEN-CENELEC Management Centre has the same status as the official versions.

CENELEC members are the national electrotechnical committees of Austria, Belgium, Bulgaria, Croatia, Cyprus, the Czech Republic, Denmark, Estonia, Finland, Former Yugoslav Republic of Macedonia, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, the Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland, Turkey and the United Kingdom.

CENELEC

European Committee for Electrotechnical Standardization
Comité Européen de Normalisation Electrotechnique
Europäisches Komitee für Elektrotechnische Normung

CEN-CENELEC Management Centre: Avenue Marnix 17, B - 1000 Brussels

Foreword

The text of document 31J/225/FDIS, future edition 5 of IEC 60079-14, prepared by SC 31J "Classification of hazardous areas and installation requirements" of IEC/TC 31 "Equipment for explosive atmospheres" was submitted to the IEC-CENELEC parallel vote and approved by CENELEC as EN 60079-14:2014.

The following dates are fixed:

- latest date by which the document has to be implemented at national level by publication of an identical national standard or by endorsement (dop) 2014-10-02
- latest date by which the national standards conflicting with the document have to be withdrawn (dow) 2017-01-02

This document supersedes EN 60079-14:2008.

EN 60079-14:2014 includes the following significant technical changes with respect to EN 60079-14:2008:

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
Introduction of initial inspection	Scope		X	
Introduction of definition "electrical equipment"	3.1.3	X		
Introduction of definition "hybrid mixture"	3.2.4		X	
Note added to the definition "associated apparatus"	3.5.2	X		
Introduction of definition "radio frequency identification"	3.15	X		
List for documents improved and extended: site, equipment, installation and personnel	4.2	X		
New clause for initial inspection	4.3		X	
Specific requirements given in this standard based on the current edition of the EN standards in the EN 60079 series.	4.4.1.2	X		
New selection criteria for radiating equipment according to EN 60079-0	5.7		X	
New selection criteria for ultrasonic equipment according to EN 60079-0	5.8		X	
Specific requirements for cells and batteries used in transportable, portable and personal equipment aligned with EN 60079-11	5.10			C1
New structure for the selection of rotating electrical machines	5.11	X		
New selection criteria for cells and batteries	5.14		X	
New selection criteria for radio frequency identification tags	5.15		X	
New selection criteria for gas detection equipment	5.16		X	
The requirements for material composition of metallic installation material aligned with the requirements for light metal according to EN 60079-0	6.1		X	
Above hazardous area, the restriction of 3,5 m deleted	6.3.7	X		

Explanation of the significance of the changes	Clause	Type		
		Minor and editorial changes	Extension	Major technical changes
New structure of the requirements for static electricity according to EN 60079-0 added	6.5		X	
New requirements for electromagnetic radiation in accordance with EN 60079-0	6.7		X	
Improvement of the text for cables, cables for fixed and flexible cables for fixed installation for easier reading	9.3.1 9.3.2 9.3.3	X		
New structure of the requirements for cable entry system and blanking elements with subclauses - General - Connections of cables to equipment - Selection of cable glands with the new Table 10 - Additional requirements for cable glands other than Ex "d", Ex "t" or Ex "nR" - Additional requirements for Ex "d" - Additional requirements for Ex "t" - Additional requirements for Ex "nR"	10 10.1 10.2 10.3 10.4 10.5 10.6 10.7 10.8		X	
New structure for the requirements for rotating electrical machines for all types of protections	11		X	
New structure for the requirements for electric heating systems including temperature monitoring, limiting temperature, safety device and additional requirements for electrical heat tracing system	13		X	
New clause to limit the dissipation power of terminal boxes as a function of the numbers of wire in relation to the cross-section and the permissible continuous current with an example.	15.4		X	
Improvement of the text for simple apparatus with its definition, limits and the variation in maximum power dissipation based on the ambient temperature and an alternative equation to calculate the max. surface temperature.	16.4		X	
New requirements for terminal boxes if containing more than one intrinsically safe circuits to avoid short circuits between independent intrinsically safe circuits.	16.5			C2
Improvement of the text for terminal boxes with non-intrinsically and intrinsically safe circuits	16.5.4	X		
New subclause for pressurized rooms and analyser houses	17.4		X	
New clause for optical radiation	22		X	
New annex for initial inspection with the equipment specific inspection schedule for all type of protections	Annex C		X	
New annex for electrical installations in extremely low ambient temperature	Annex D		X	
New annex for the restricted migration of gas through cables	Annex E		X	
New annex for installation of electrical trace heating systems	Annex F		X	
New annex for the requirements for type of protection "op" – Optical radiation	Annex K		X	
New annex for hybrid mixtures	Annex M		X	

Explanation of the types of significant changes:	
A) Definitions	
1 Minor and editorial changes:	<ul style="list-style-type: none"> - Clarification - Decrease of technical requirements - Minor technical change - Editorial corrections
<p>These are changes which modify requirements in an editorial or a minor technical way. They include changes of the wording to clarify technical requirements without any technical change, or a reduction in level of existing requirement.</p>	
2 Extension:	- Addition of technical options
<p>These are changes which add new or modify existing technical requirements, in a way that new options are given, but without increasing the requirements for the design, selection and erection of existing installations that are fully compliant with the previous standard. Therefore, these will not have to be considered for existing installations in conformity with the preceding edition.</p>	
3 Major technical changes:	<ul style="list-style-type: none"> - addition of technical requirements - increase of technical requirements
<p>These are changes to technical requirements (addition, increase of the level or removal) made in a way that an existing installation in conformity with the preceding edition will not always be able to fulfil the requirements given in the later edition. These changes have to be considered for existing installations in conformity with the preceding edition, for which additional information is provided in B) below.</p> <p>These changes represent the latest state-of-the-art technology. However, these changes should not normally have an influence on existing installations.</p>	
B) Information about the background of "major technical changes"	
C1	<p>Due to the risk of gassing producing hydrogen from all cell types, adequate provision for venting is required as the gassing can create an explosive condition in small enclosures. This condition would apply to torches, multi meters, pocket gas sensors and similar items. Alternatively, where the equipment meets the requirements for Equipment Group IIC, the requirement of degassing apertures or limitation of hydrogen concentration does not apply.</p>
C2	<p>An individual intrinsically safe circuit is also safe under short-circuit conditions. The short-circuit between two independent intrinsically safe circuits is not considered. Therefore the terminal boxes have to meet additional requirements for IP rating as well for the mechanical impact to make sure that the integrity of the enclosure is given also under worst case conditions.</p>

Attention is drawn to the possibility that some of the elements of this document may be the subject of patent rights. CENELEC [and/or CEN] shall not be held responsible for identifying any or all such patent rights.

Endorsement notice

The text of the International Standard IEC 60079-14:2013 was approved by CENELEC as a European Standard without any modification.

In the official version, for Bibliography, the following notes have to be added for the standards indicated:

IEC 60034-5	NOTE	Harmonized as EN 60034-5.
IEC/TS 60034-17	NOTE	Harmonized as CLC/TS 60034-17.
IEC/TS 60034-25	NOTE	Harmonized as CLC/TS 60034-25.
IEC 60079-2	NOTE	Harmonized as EN 60079-2.
IEC 60079-5	NOTE	Harmonized as EN 60079-5.
IEC 60079-29-2	NOTE	Harmonized as EN 60079-29-2.
IEC 60079-30-2	NOTE	Harmonized as EN 60079-30-2.
IEC 60079-31	NOTE	Harmonized as EN 60079-31.
IEC 60332-2-2	NOTE	Harmonized as EN 60332-2-2.
IEC 60332-3 Series	NOTE	Harmonized as EN 60332-3 Series (partly modified).
IEC 60529	NOTE	Harmonized as EN 60529.
IEC 60742	NOTE	Harmonized as EN 60742.

IEC 61008-1	NOTE	Harmonized as EN 61008-1.
IEC 61010-1	NOTE	Harmonized as EN 61010-1.
IEC 61241 Series	NOTE	Harmonized as EN 61241 Series (not modified).
IEC 61241-1	NOTE	Harmonized as EN 61241-1 ¹⁾ .
IEC 61241-4	NOTE	Harmonized as EN 61241-4.
IEC 61241-11	NOTE	Harmonized as EN 61241-11.
IEC 61439-1	NOTE	Harmonized as EN 61439-1.
ISO 10807	NOTE	Harmonized as EN ISO 10807.

¹⁾ Superseded by EN 60079-31.

Annex ZA (normative)

Normative references to international publications with their corresponding European publications

The following documents, in whole or in part, are normatively referenced in this document and are indispensable for its application. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

NOTE When an international publication has been modified by common modifications, indicated by (mod), the relevant EN/HD applies.

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60034-1	-	Rotating electrical machines - Part 1: Rating and performance	EN 60034-1	-
IEC 60060-1	-	High-voltage test techniques - Part 1: General definitions and test requirements	EN 60060-1	-
IEC 60079	Series	Explosive atmospheres	EN 60079	Series
IEC 60079-0	-	Explosive atmospheres - Part 0: Equipment - General requirements	EN 60079-0	-
IEC 60079-1	-	Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"	EN 60079-1	-
IEC 60079-6	-	Explosive atmospheres - Part 6: Equipment protection by oil immersion "o"	EN 60079-6	-
IEC 60079-7	-	Explosive atmospheres - Part 7: Equipment protection by increased safety "e"	EN 60079-7	-
IEC 60079-10-1	-	Explosive atmospheres - Part 10-1: Classification of areas - Explosive gas atmospheres	EN 60079-10-1	-
IEC 60079-10-2	-	Explosive atmospheres - Part 10-2: Classification of areas - Combustible dust atmospheres	EN 60079-10-2	-
IEC 60079-11	-	Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"	EN 60079-11	-
IEC 60079-13	-	Explosive atmospheres - Part 13: Equipment protection by pressurized room "p"	EN 60079-13	-
IEC 60079-15	-	Explosive atmospheres - Part 15: Equipment protection by type of protection "n"	EN 60079-15	-
IEC/TR 60079-16	-	Electrical apparatus for explosive gas atmospheres - Part 16: Artificial ventilation for the protection of analyzer(s) houses	-	-
IEC 60079-17	-	Explosive atmospheres - Part 17: Electrical installations inspection and maintenance	EN 60079-17	-
IEC 60079-18	-	Explosive atmospheres - Part 18: Equipment protection by encapsulation "m"	EN 60079-18	-

<u>Publication</u>	<u>Year</u>	<u>Title</u>	<u>EN/HD</u>	<u>Year</u>
IEC 60079-19	-	Explosive atmospheres - Part 19: Equipment repair, overhaul and reclamation	EN 60079-19	-
IEC 60079-26	-	Explosive atmospheres - Part 26: Equipment with equipment protection level (EPL) Ga	EN 60079-26	-
IEC 60079-28	-	Explosive atmospheres - Part 28: Protection of equipment and transmission systems using optical radiation	EN 60079-28	-
IEC 60079-29-1	-	Explosive atmospheres - Part 29-1: Gas detectors - Performance requirements of detectors for flammable gases	EN 60079-29-1	-
IEC 60079-29-4	-	Explosive atmospheres - Part 29-4: Gas detectors - Performance requirements of open path detectors for flammable gases	EN 60079-29-4	-
IEC 60079-30-1	-	Explosive atmospheres - Part 30-1: Electrical resistance trace heating - General and testing requirements	EN 60079-30-1	-
IEC 60243-1	-	Electric strength of insulating materials - Test methods - Part 1: Tests at power frequencies	EN 60243-1	-
IEC 60332-1-2	-	Tests on electric and optical fibre cables under fire conditions - Part 1-2: Test for vertical flame propagation for a single insulated wire or cable - Procedure for 1 kW pre-mixed flame	EN 60332-1-2	-
IEC 60364	Series	Low voltage electrical installations	HD 60364	Series
IEC 60364-4-41 (mod)	2005	Low-voltage electrical installations - Part 4-41: Protection for safety - Protection against electric shock	HD 60364-4-41 + corr. July	2007 2007
IEC 60950	Series	Information technology equipment - Safety	EN 60950	Series
IEC 61010-1	-	Safety requirements for electrical equipment for measurement, control and laboratory use - Part 1: General requirements	EN 61010-1	-
IEC 61285	-	Industrial-process control - Safety of analyser houses	EN 61285	-
IEC 61558-2-6	-	Safety of transformers, reactors, power supply units and similar products for supply voltages up to 1 100 V - Part 2-6: Particular requirements and tests for safety isolating transformers and power supply units incorporating safety isolating transformers	EN 61558-2-6	-
IEC 62305-3 (mod)	2010	Protection against lightning - Part 3: Physical damage to structures and life hazard	EN 62305-3	2011

CONTENTS

INTRODUCTION.....	17
1 Scope.....	19
2 Normative references	20
3 Terms and definitions	21
3.1 General.....	21
3.2 Hazardous areas.....	22
3.3 Flameproof enclosure	23
3.4 Increased safety	23
3.5 Intrinsic safety	24
3.6 Intrinsic safety parameters	25
3.7 Pressurization.....	25
3.8 Type of protection “n”.....	25
3.9 oil-immersion “o”.....	26
3.10 powder filling “q”	26
3.11 encapsulation “m”	26
3.12 protection by enclosure “t”	26
3.13 Electrical supply systems	26
3.14 Equipment	26
3.15 radio frequency identification RFID	27
4 General	27
4.1 General requirements	27
4.2 Documentation.....	28
4.3 Initial inspection.....	29
4.4 Assurance of conformity of equipment.....	29
4.4.1 Equipment with certificates according to IEC standards	29
4.4.2 Equipment without certificates according to IEC standards	29
4.4.3 Selection of repaired, second hand or existing equipment.....	30
4.5 Qualifications of personnel.....	30
5 Selection of equipment	30
5.1 Information requirements	30
5.2 Zones	31
5.3 Relationship between equipment protection levels (EPLs) and zones.....	31
5.4 Selection of equipment according to EPLs	31
5.4.1 General	31
5.4.2 Relationship between EPLs and types of protection	31
5.4.3 Equipment for use in locations requiring EPL “Ga” or “Da”	33
5.4.4 Equipment for use in locations requiring EPL “Gb” or “Db”	33
5.4.5 Equipment for use in locations requiring EPL “Gc” or “Dc”	33
5.5 Selection according to equipment grouping.....	33
5.6 Selection according to the ignition temperature of the gas, vapour or dust and ambient temperature	34
5.6.1 General	34
5.6.2 Gas or vapour.....	34
5.6.3 Dust.....	35
5.7 Selection of radiating equipment.....	37
5.7.1 General	37