


# **Guidelines for calculating the radiological consequences to the public of a release of airborne radioactive material for nuclear reactor accidents**



# Legal Notice for Standards

Canadian Standards Association (operating as “CSA Group”) develops standards through a consensus standards development process approved by the Standards Council of Canada. This process brings together volunteers representing varied viewpoints and interests to achieve consensus and develop a standard. Although CSA Group administers the process and establishes rules to promote fairness in achieving consensus, it does not independently test, evaluate, or verify the content of standards.

## Disclaimer and exclusion of liability

This document is provided without any representations, warranties, or conditions of any kind, express or implied, including, without limitation, implied warranties or conditions concerning this document’s fitness for a particular purpose or use, its merchantability, or its non-infringement of any third party’s intellectual property rights. CSA Group does not warrant the accuracy, completeness, or currency of any of the information published in this document. CSA Group makes no representations or warranties regarding this document’s compliance with any applicable statute, rule, or regulation.

IN NO EVENT SHALL CSA GROUP, ITS VOLUNTEERS, MEMBERS, SUBSIDIARIES, OR AFFILIATED COMPANIES, OR THEIR EMPLOYEES, DIRECTORS, OR OFFICERS, BE LIABLE FOR ANY DIRECT, INDIRECT, OR INCIDENTAL DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES, HOWSOEVER CAUSED, INCLUDING BUT NOT LIMITED TO SPECIAL OR CONSEQUENTIAL DAMAGES, LOST REVENUE, BUSINESS INTERRUPTION, LOST OR DAMAGED DATA, OR ANY OTHER COMMERCIAL OR ECONOMIC LOSS, WHETHER BASED IN CONTRACT, TORT (INCLUDING NEGLIGENCE), OR ANY OTHER THEORY OF LIABILITY, ARISING OUT OF OR RESULTING FROM ACCESS TO OR POSSESSION OR USE OF THIS DOCUMENT, EVEN IF CSA GROUP HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, INJURY, LOSS, COSTS, OR EXPENSES.

In publishing and making this document available, CSA Group is not undertaking to render professional or other services for or on behalf of any person or entity or to perform any duty owed by any person or entity to another person or entity. The information in this document is directed to those who have the appropriate degree of experience to use and apply its contents, and CSA Group accepts no responsibility whatsoever arising in any way from any and all use of or reliance on the information contained in this document.

CSA Group is a private not-for-profit company that publishes voluntary standards and related documents. CSA Group has no power, nor does it undertake, to enforce compliance with the contents of the standards or other documents it publishes.

## Intellectual property rights and ownership

As between CSA Group and the users of this document (whether it be in printed or electronic form), CSA Group is the owner, or the authorized licensee, of all works contained herein that are protected by copyright, all trade-marks (except as otherwise noted to the contrary), and all inventions and trade secrets that may be contained in this document, whether or not such inventions and trade secrets are protected by patents and applications for patents. Without limitation, the unauthorized use, modification, copying, or disclosure of this document may violate laws that protect CSA Group’s and/or others’ intellectual property and may give rise to a right in CSA Group and/or others to seek legal redress for such use, modification, copying, or disclosure. To the extent permitted by licence or by law, CSA Group reserves all intellectual property rights in this document.

## Patent rights

Attention is drawn to the possibility that some of the elements of this standard may be the subject of patent rights. CSA Group shall not be held responsible for identifying any or all such patent rights. Users of this standard are expressly advised that determination of the validity of any such patent rights is entirely their own responsibility.

## Authorized use of this document

This document is being provided by CSA Group for informational and non-commercial use only. The user of this document is authorized to do only the following:

If this document is in electronic form:

- load this document onto a computer for the sole purpose of reviewing it;
- search and browse this document; and
- print this document if it is in PDF format.

Limited copies of this document in print or paper form may be distributed only to persons who are authorized by CSA Group to have such copies, and only if this Legal Notice appears on each such copy.

In addition, users may not and may not permit others to

- alter this document in any way or remove this Legal Notice from the attached standard;
- sell this document without authorization from CSA Group; or
- make an electronic copy of this document.

If you do not agree with any of the terms and conditions contained in this Legal Notice, you may not load or use this document or make any copies of the contents hereof, and if you do make such copies, you are required to destroy them immediately. Use of this document constitutes your acceptance of the terms and conditions of this Legal Notice.



This is a preview. [Click here to purchase the full publication.](#)

# *Standards Update Service*

## *CSA N288.2:19 December 2019*

**Title:** *Guidelines for calculating the radiological consequences to the public of a release of airborne radioactive material for nuclear reactor accidents*

To register for e-mail notification about any updates to this publication

- go to [store.csagroup.org](http://store.csagroup.org)
- click on **Product Updates**

The **List ID** that you will need to register for updates to this publication is **2427905**.

If you require assistance, please e-mail [techsupport@csagroup.org](mailto:techsupport@csagroup.org) or call 416-747-2233.

Visit CSA Group's policy on privacy at [www.csagroup.org/legal](http://www.csagroup.org/legal) to find out how we protect your personal information.

This is a preview. [Click here to purchase the full publication.](#)

*CSA N288.2:19*

***Guidelines for calculating the  
radiological consequences to the  
public of a release of airborne  
radioactive material for nuclear  
reactor accidents***



*®A trademark of the Canadian Standards Association, operating as "CSA Group"*

*Published in December 2019 by CSA Group  
A not-for-profit private sector organization  
178 Rexdale Boulevard, Toronto, Ontario, Canada M9W 1R3*

*To purchase standards and related publications, visit our Online Store at [store.csagroup.org](https://store.csagroup.org)  
or call toll-free 1-800-463-6727 or 416-747-4044.*

*ISBN 978-1-4883-2566-3*

*© 2019 Canadian Standards Association  
All rights reserved. No part of this publication may be reproduced in any form whatsoever  
without the prior permission of the publisher.*

[This is a preview. Click here to purchase the full publication.](#)

# Contents

Technical Committee on Environmental Management for Nuclear Facilities	5
Subcommittee on Guidelines for Calculating the Radiological Consequences to the Public of a Release of Airborne Radioactive Material for Nuclear Reactor Accidents	8
Preface	10
<b>0 Introduction</b>	<b>12</b>
<b>1 Scope</b>	<b>12</b>
1.1 Type of consequence assessments	12
1.2 Facilities	13
1.3 Operating conditions	13
1.4 Time scale	13
1.5 Spatial scale	13
1.6 Meteorological sampling	14
1.7 Pathways	14
1.8 Contaminants	14
1.9 Receptors and end points	14
1.10 Exclusions	14
1.10.1 Routine releases during normal operation	14
1.10.2 Spills and liquid releases	14
1.10.3 Urban dispersion	14
1.10.4 Fire and explosions	14
1.10.5 Hurricanes and tornados	15
1.10.6 Regional and global dispersion	15
1.10.7 Chemical contaminants	15
1.10.8 Ingestion pathway	15
1.10.9 Economic costs including those arising from off-site interventions	15
1.10.10 Logistics of protective actions	15
1.10.11 Non-human biota	15
1.11 Terminology	15
<b>2 Reference publications</b>	<b>16</b>
<b>3 Definitions and abbreviations</b>	<b>30</b>
3.1 Definitions	30
3.2 Abbreviations	35
<b>4 Treatment of meteorology</b>	<b>37</b>
4.1 Types of consequence calculations	37
4.2 General requirements	38
4.2.1 Deterministic calculations	38
4.2.2 Probabilistic calculations	39
4.3 Meteorological data requirements	39
4.3.1 Representativeness	39
4.3.2 Meteorological station data	40

4.4	Stochastic sampling	44
4.5	Statistical quantities	45
4.6	Real-time and forecast weather data for emergency response	48
4.6.1	Sources of data	48
4.6.2	Meteorological data	48
4.6.3	Short-range dose assessment	49
4.6.4	Medium- and long-range dose assessment	49
4.6.5	Point of contact	49
4.6.6	Emergency response products	50
<b>5</b>	<b>Source characterization</b>	<b>50</b>
5.1	Source term	50
5.2	Source characteristics important for calculation of doses	50
5.2.1	Characteristics to be defined	50
5.2.2	Radiological characteristics	50
5.2.3	Physical characteristics	51
5.3	Acceptable methods to account for different release durations and time dependence	52
5.3.1	Definitions	52
5.3.2	Instantaneous or short-term release	52
5.3.3	Prolonged or long-term release	52
5.3.4	Level of detail of source term representation	53
5.3.5	Number of release segments	53
5.4	Attributes required to allow the containment models to be coupled with the release models	54
5.4.1	Periodicity	54
5.4.2	Decay and ingrowth	54
5.5	Radionuclides to be considered	54
5.5.1	Selection of radionuclides	54
5.5.2	Justification	55
5.5.3	Unfiltered release	55
5.5.4	Filtered release	56
5.5.5	Tritium	56
5.6	Treatment of decay and daughter products	57
5.6.1	Accounting for decay and build-up	57
5.6.2	Precursors	57
5.6.3	Application of release fractions	57
5.7	Multiple point, area, or volume sources	57
5.7.1	Initial dimensions	57
5.7.2	Multiple release points	57
<b>6</b>	<b>Modelling atmospheric dispersion</b>	<b>58</b>
6.1	Model applicability	58
6.1.1	General requirements	58
6.1.2	Release characteristics	58
6.1.3	Meteorological conditions	58
6.1.4	Distance from source	59
6.1.5	Terrain	59
6.2	Atmospheric dispersion phenomena and model capabilities	59
6.2.1	Important phenomena and corresponding default model capabilities	59

6.2.2	Specialized model capabilities	60
6.3	Functional requirements for default models	60
6.3.1	Plume rise	60
6.3.2	Downwash	60
6.3.3	Entrainment	61
6.3.4	Effective release height	61
6.3.5	Plume broadening	61
6.3.6	Mixing height	62
6.3.7	Height of TIBL	62
6.3.8	Reflection at an elevated inversion	63
6.3.9	Fumigation	64
6.3.10	Plume transport	64
6.3.11	Plume diffusion	64
6.3.12	Wet deposition	64
6.3.13	Dry deposition	65
6.3.14	Plume depletion	65
6.4	Functional requirements for specialized models	66
6.4.1	General definition of conditions requiring specialized models	66
6.4.2	Complex terrain	66
6.4.3	Non-stationary conditions	67
6.4.4	Shoreline dispersion	67
6.4.5	Low wind speeds and calms	67
6.4.6	Fog effects	67
6.4.7	Resuspension and re-emission	67
6.4.8	Tritiated hydrogen gas (HT)	68
6.4.9	Multiple point, area, and volume sources	68
6.5	Justification of the model choice	68
6.5.1	General requirements	68
6.5.2	Model validation	69

## **7 Calculation of consequences** 69

7.1	Quantities	69
7.2	Receptors	70
7.3	Concentrations	71
7.4	Doses	71
7.4.1	General	71
7.4.2	Compliance with dose limits	71
7.4.3	Severe accident assessment	71
7.4.4	Dose intervention levels and emergency reference levels	72
7.5	Pathways	72
7.6	Dose from external exposure to the cloud	72
7.6.1	Definition	72
7.6.2	Semi-infinite cloud approximation	73
7.6.3	Finite cloud effects	73
7.6.4	Dose conversion factors for external exposure to the cloud	73
7.7	Dose from internal exposure to the cloud	74
7.7.1	Definition	74
7.7.2	Inhalation rates	74
7.7.3	Committed dose conversion factors for inhalation	74

7.7.4	Period of integration	74
7.7.5	Chemical form of particulates	75
7.7.6	Noble gases	75
7.7.7	HTO absorption through skin	75
7.8	Dose from external exposure to ground deposition	75
7.8.1	Definition	75
7.8.2	Period of exposure	75
7.8.3	Dose conversion factors for external exposure to ground deposition	76
7.8.4	Surface roughness	76
7.9	Decay and daughter products	76
7.9.1	Dose calculations	76
7.9.2	Secular equilibrium	76
7.9.3	Decay-chain calculation	77
7.9.4	Ground contamination	77
7.10	Phases of exposure — Definition	77
7.11	Shielding and filtration effects	77
7.11.1	Definition	77
7.11.2	Basis	77
7.11.3	Occupancy factors	78
7.11.4	Shielding factor	78
7.11.5	Filtration effect	78
7.12	Stochastic health effect calculation	78
7.13	Deterministic health effect calculation	79
7.13.1	Severe accident assessment	79
7.13.2	Detailed models	79
7.13.3	Simplified model	79
7.13.4	Calculation	80
7.14	Collective dose	80
7.14.1	Definition	80
7.14.2	Limits of integration	80
<b>8 Model uncertainties 80</b>		
8.1	Identification of sources of uncertainty	80
8.2	Use of uncertainty assessment	81
8.3	Uncertainty assessment	81
8.3.1	Documentation	81
8.3.2	Method	81
8.3.3	Sensitivity calculations	81
8.3.4	Quantitative uncertainty assessment	83
<hr/>		
Annex A (informative) — Meteorological data		86
Annex B (informative) — Dispersion phenomena and acceptable modelling approaches		102
Annex C (informative) — Classification of atmospheric dispersion models and their capabilities		126
Annex D (informative) — Deterministic health effects models		132
Annex E (informative) Historical background on CSA N288.2		134

# ***Technical Committee on Environmental Management for Nuclear Facilities***

<b>C. Elwood</b>	Bruce Power, Tiverton, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	<i>Chair</i>
<b>D. R. Hart</b>	EcoMetrix Incorporated, Mississauga, Ontario, Canada <i>Category: Supplier/Fabricator/Contractor</i>	<i>Vice-Chair</i>
<b>K. T. Nagy</b>	Cameco Corporation, Saskatoon, Saskatchewan, Canada <i>Category: Supplier/Fabricator/Contractor</i>	<i>Vice-Chair</i>
<b>N. Ali</b>	Environment and Climate Change Canada, Toronto, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	
<b>D. B. Chambers</b>	ARCADIS Canada Inc., Richmond Hill, Ontario, Canada	<i>Non-voting</i>
<b>D. Chin-Cheong</b>	Toronto, Ontario, Canada <i>Category: General Interest</i>	
<b>E. Dagher</b>	Canadian Nuclear Safety Commission (CNSC), Ottawa, Ontario, Canada	<i>Non-voting</i>
<b>J. DeWilde</b>	Golder Associates Ltd., Whitby, Ontario, Canada	<i>Non-voting</i>
<b>G. M. Dolinar</b>	Canadian Nuclear Laboratories Limited (CNL), Chalk River, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
<b>K. England</b>	Cameco Corporation, Saskatoon, Saskatchewan, Canada	<i>Non-voting</i>
<b>P. C. Ernst</b>	CANDU Owners Group Inc., Toronto, Ontario, Canada <i>Category: General Interest</i>	

<b>C. M. Fietsch</b>	Bruce Power, Tiverton, Ontario, Canada	<i>Non-voting</i>
<b>C. Gallagher</b>	Canadian Nuclear Laboratories Limited (CNL), Chalk River, Ontario, Canada	<i>Non-voting</i>
<b>N. C. Garisto</b>	ARCADIS Canada Inc., Richmond Hill, Ontario, Canada <i>Category: Supplier/Fabricator/Contractor</i>	
<b>M. Gerchikov</b>	AECOM, Guelph, Ontario, Canada <i>Category: Service Industry</i>	
<b>M. G. Grey</b>	Kinectrics Inc., Toronto, Ontario, Canada <i>Category: Service Industry</i>	
<b>M. Hamlat</b>	Canadian Nuclear Safety Commission, Ottawa, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	
<b>F. J. Lemay</b>	Calian Group Ltd., Ottawa, Ontario, Canada <i>Category: Service Industry</i>	
<b>R. McCalla</b>	Ontario Power Generation, Pickering, Ontario, Canada <i>Category: Owner/Operator/Producer</i>	
<b>J. McCulley</b>	NB Power Corporation, Fredericton, New Brunswick, Canada <i>Category: Owner/Operator/Producer</i>	
<b>I. Mitchell</b>	Ontario Ministry of the Environment, Owen Sound, Ontario, Canada <i>Category: Government and/or Regulatory Authority</i>	
<b>S. T. Moulding</b>	Saskatchewan Ministry of Environment, Saskatoon, Saskatchewan, Canada <i>Category: Government and/or Regulatory Authority</i>	
<b>R. Parker</b>	EcoMetrix Incorporated, Mississauga, Ontario, Canada	<i>Non-voting</i>