



**STANDARD FOR
EXTRUDED INSULATION POWER CABLES
RATED ABOVE 46 THROUGH 345 KV**

Approved by

AMERICAN NATIONAL STANDARDS INSTITUTE

May 12, 2005

Publication # ANSI/ICEA S-108-720-2004

July 15, 2004

© 2004 by ICEA

INSULATED CABLE ENGINEERS ASSOCIATION, Inc.

STANDARD FOR
EXTRUDED INSULATION POWER CABLES
RATED ABOVE 46 THROUGH 345 KV

Standard
ICEA S-108-720-2004

Published By
INSULATED CABLE ENGINEERS ASSOCIATION, Inc.
Post Office Box 1568
Carrollton, Georgia 30112, U.S.A.

Approved by Insulated Cable Engineers Association, Inc.: June 7, 2004
Accepted by AEIC: Cable Engineering Committee: February 9, 2004
Approved by ANSI: May 12, 2005

© Copyright 2004 by the Insulated Cable Engineers Association, Inc. All rights including translation into other languages, reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the international and Pan American Copyright Conventions.

FOREWORD

This Standards Publication for Extruded Insulation Power Cables Rated above 46 to 345 kV (ICEA S-108-720) was developed by the Insulated Cable Engineers Association Inc. (ICEA).

ICEA standards are adopted in the public interest and are designed to eliminate misunderstandings between the manufacturer and the purchaser and to assist the purchaser in selecting and obtaining the proper product for his particular need. Existence of an ICEA standard does not in any respect preclude the manufacture or use of products not conforming to the standard. The user of this Standards Publication is cautioned to observe any health or safety regulations and rules relative to the manufacture and use of cable made in conformity with this Standard.

Requests for interpretation of this Standard must be submitted in writing to the Insulated Cable Engineers Association, Inc., P. O. Box 1568, Carrollton, Georgia 30112. An official written interpretation will be provided. Suggestions for improvements gained in the use of this Standard will be welcomed by the Association.

The ICEA expresses thanks to the Association of Edison Illuminating Companies, Cable Engineering Committee for providing the basis for some of the material included herein through their participation in the Utility Power Cable Standards Technical Advisory Committee (UPCSTAC), and to the Institute of Electrical and Electronics Engineers, Insulated Conductors Committee, Subcommittee A, Discussion Group A-14 for providing user input to this Standard.

The members of the ICEA working group contributing to the writing of this Standard consisted of the following:

F. Kuchta, Chairman

E. Bartolucci
J. Cancelosi
L. Hiivala
R. Thrash

R. Bristol
P. Cinquemani
A. Pack
E. Walcott

S. Campbell
B. Fleming
B. Temple
N. Ware

TABLE OF CONTENTS

Part 1 GENERAL	1
1.1 SCOPE	1
1.2 GENERAL INFORMATION	1
1.3 INFORMATION TO BE SUPPLIED BY PURCHASER	1
1.3.1 Characteristics of Systems on which Cable is to be Used.....	1
1.3.2 Description of Installation	2
1.3.3 Quantities and Description of Cable	2
1.4 INFORMATION TO BE SUPPLIED BY MANUFACTURER	2
1.5 DEFINITIONS AND SYMBOLS	2
Part 2 CONDUCTOR	6
2.0 GENERAL	6
2.1 PHYSICAL AND ELECTRICAL PROPERTIES	6
2.1.1 Copper Conductors	6
2.1.2 Aluminum Conductors.....	6
2.1.3 Special Conductors	6
2.1.3.1 Segmental Conductors.....	7
2.2 OPTIONAL SEALANT FOR STRANDED CONDUCTORS	7
2.3 CONDUCTOR SIZE UNITS	7
2.4 CONDUCTOR DC RESISTANCE	7
2.4.1 Direct Measurement of dc Resistance Per Unit Length	7
2.4.2 Calculation of dc Resistance Per Unit Length	8
2.5 CONDUCTOR DIAMETER	8
Part 3 CONDUCTOR SHIELD	14
3.1 MATERIAL	14
3.2 EXTRUDED SHIELD THICKNESS	14
3.3 PROTRUSIONS AND IRREGULARITIES	14
3.4 VOIDS	14
3.5 PHYSICAL REQUIREMENTS	15
3.6 ELECTRICAL REQUIREMENTS	15
3.6.1 Extruded Semiconducting Material.....	15
3.6.2 Extruded Nonconducting Material (For EPR Insulation Only)	15
3.6.3 Semiconducting Tape	15
3.7 WAFER BOIL TEST	15
Part 4 INSULATION	16
4.1 MATERIAL	16
4.2 INSULATION THICKNESS	16
4.2.1 Selection of Proper Thickness	17
4.2.2 Insulation Eccentricity.....	18
4.3 INSULATION REQUIREMENTS	18
4.3.1 Physical and Aging Requirements	18
4.3.2 Electrical Test Requirements	19
4.3.2.1 Partial-Discharge for Discharge-Free Designs only	19
4.3.2.2 Voltage Tests.....	20
4.3.2.3 Insulation Resistance Test	20
4.3.2.4 Dielectric Constant and Dissipation Factor	21
4.3.2.5 Discharge (Corona) Resistance fro Discharge-Resistant EPR Designs only.....	21

4.3.3	Voids, Ambers, Gels, Agglomerates and Contaminants as Applicable	21
4.3.3.1	Crosslinked Polyethylene Insulation (XLPE).....	21
4.3.3.2	Ethylene Propylene Rubber (EPR).....	21
4.3.4	Shrinkback - Crosslinked Polyethylene Insulation (XLPE) Only	22
Part 5	EXTRUDED INSULATION SHIELD	23
5.1	MATERIAL.....	23
5.2	THICKNESS REQUIREMENTS	23
5.3	PROTRUSIONS AND IRREGULARITIES	23
5.4	SEMICONDUCTING TAPE	23
5.5	INSULATION SHIELD REQUIREMENTS	23
5.5.1	Removability	23
5.5.2	Voids.....	24
5.5.3	Physical Requirements	24
5.5.4	Electrical Requirements	24
5.5.5	Wafer Boil Test.....	24
Part 6	METALLIC SHIELDING	25
6.1	GENERAL.....	25
6.2	SHIELDS.....	25
6.2.1	Helically Applied Tape Shield.....	25
6.2.2	Longitudinally Applied And Overlapped Corrugated Tape Shield.....	25
6.2.3	Wire Shield.....	25
6.2.4	Flat Strap Shield.....	26
6.3	SHEATHS.....	26
6.3.1	Lead Sheath	26
6.3.2	Smooth Aluminum Sheath	26
6.3.3	Continuously Corrugated Sheath.....	26
6.4	RADIAL MOISTURE BARRIER	27
6.5	OPTIONAL LONGITUDINAL WATER BLOCKING COMPONENTS	27
Part 7	JACKET	28
7.1	MATERIAL.....	28
7.1.1	Polyethylene, Black	28
7.1.2	Polyvinyl Chloride	29
7.2	JACKET APPLICATION AND THICKNESS.....	30
7.2.1	Thickness of Jacket for Tape and Wire Shields.....	30
7.2.2	Thickness of Jacket for Sheaths.....	30
7.3	OPTIONAL SEMICONDUCTING COATING	30
7.4	JACKET IRREGULARITY INSPECTION	30
7.4.1	Jackets without Optional Semiconducting Coating	30
7.4.2	Jackets with Optional Semiconducting Coating	30
Part 8	CABLE IDENTIFICATION	33
8.1	CABLE IDENTIFICATION	33
8.1.1	Optional Center Strand Identification.....	33
8.1.2	Optional Sequential Length Marking.....	33
Part 9	PRODUCTION TESTS.....	34
9.1	TESTING	34
9.2	SAMPLING FREQUENCY.....	34
9.3	CONDUCTOR TEST METHODS.....	34
9.3.1	Method for DC Resistance Determination.....	34

9.3.2	Cross-Sectional Area Determination	34
9.3.3	Diameter Determination	34
9.4	TEST SAMPLES AND SPECIMENS FOR PHYSICAL AND AGING TESTS	34
9.4.1	General.....	34
9.4.2	Measurement of Thickness	34
9.4.2.1	Micrometer Measurements	35
9.4.2.2	Optical Measuring Device Measurements	35
9.4.3	Number of Test Specimens	35
9.4.4	Size of Specimens	35
9.4.5	Preparation of Specimens of Insulation and Jacket	36
9.4.6	Specimen for Aging Test.....	36
9.4.7	Calculation of Area of Test Specimens	36
9.4.8	Unaged Test Procedures	36
9.4.8.1	Test Temperature.....	36
9.4.8.2	Type of Testing Machine	36
9.4.8.3	Tensile Strength Test	36
9.4.8.4	Elongation Test.....	37
9.4.9	Aging Tests	37
9.4.9.1	Aging Test Specimens	37
9.4.9.2	Air Oven Test.....	37
9.4.9.3	Oil Immersion Test for Polyvinyl Chloride Jacket	37
9.4.10	Hot Creep Test.....	38
9.4.11	Solvent Extraction	38
9.4.12	Wafer Boil Test for Conductor and Insulation Shields	38
9.4.12.1	Insulation Shield Hot Creep Properties	38
9.4.13	Amber, Agglomerate, Gel, Contaminant, Protrusion, Irregularity and Void Test.....	38
9.4.13.1	Sample Preparation.....	38
9.4.13.2	Examination	38
9.4.13.3	Resampling for Amber, Agglomerate, Gel, Contaminant, Protrusion, Irregularity and Void Test.....	39
9.4.13.4	Protrusion and Irregularity Measurement Procedure.....	39
9.4.14	Physical Tests for Semiconducting Material Intended for Extrusion.....	40
9.4.14.1	Test Sample	40
9.4.14.2	Test Specimens.....	40
9.4.14.3	Elongation	40
9.4.15	Retests for Physical and Aging Properties and Thickness	40
9.5	DIMENSIONAL MEASUREMENTS OF THE METALLIC SHIELD	40
9.5.1	Tape Shield	40
9.5.2	Wire Shield.....	40
9.5.3	Sheath	41
9.5.4	Flat Straps	41
9.6	DIAMETER MEASUREMENT OF INSULATION AND INSULATION SHIELD	41
9.7	TESTS FOR JACKETS	41
9.7.1	Heat Shock.....	41
9.7.1.1	Preparation of Test Specimen.....	41
9.7.1.2	Winding of the Test Specimen on Mandrels.....	41
9.7.1.3	Heating and Examination	42
9.7.2	Heat Distortion.....	42
9.7.3	Cold Elongation	42
9.7.3.1	Test Temperature.....	42
9.7.3.2	Type of Testing Machine	42
9.7.3.3	Elongation Test.....	42
9.8	VOLUME RESISTIVITY	43

9.8.1	Conductor Shield.....	43
9.8.2	Insulation Shield and Semiconducting Extruded Jacket Coating.....	43
9.8.3	Test Equipment.....	43
9.8.4	Test Procedure.....	44
9.9	SHRINKBACK TEST PROCEDURE	44
9.9.1	Sample Preparation	44
9.9.2	Test Procedure.....	44
9.9.3	Pass/Fail Criteria and Procedure	44
9.10	RETESTS ON SAMPLES.....	44
9.11	AC VOLTAGE TEST.....	45
9.11.1	General.....	45
9.11.2	AC Voltage Test	45
9.12	PARTIAL-DISCHARGE TEST PROCEDURE.....	45
9.13	METHOD FOR DETERMINING DIELECTRIC CONSTANT AND DIELECTRIC STRENGTH OF EXTRUDED NONCONDUCTING POLYMERIC STRESS CONTROL LAYERS	45
9.14	WATER CONTENT.....	45
9.14.1	Water Under the Jacket.....	46
9.14.2	Water in the Conductor.....	46
9.14.3	Water Expulsion Procedure	46
9.14.4	Presence of Water Test.....	46
9.15	PRODUCTION TEST SAMPLING PLANS.....	47
Part 10	QUALIFICATION TESTS.....	50
10.0	GENERAL	50
10.1	CABLE QUALIFICATION TESTS.....	50
10.1.1	Cable Design Qualification.....	50
10.1.2	Cable Bending Procedure.....	53
10.1.2.1	Bending Diameter.....	53
10.1.3	Thermal Cycling Procedure	53
10.1.3.1	Thermal Cycles.....	53
10.1.3.2	Voltage During Thermal Cycles	54
10.1.4	Hot Impulse Test Procedure	54
10.1.5	AC Voltage Withstand Test Procedure.....	54
10.1.6	Partial Discharge Test Procedure (For Discharge-Free Designs Only).....	54
10.1.7	Measurement of Dissipation Factor.....	54
10.1.8	Dissection and Analysis of Test Specimens.....	54
10.2	JACKET MATERIAL QUALIFICATION TESTS.....	55
10.2.1	Polyethylene Jackets.....	55
10.2.1.1	Environmental Stress Cracking Test	55
10.2.1.1.1	Test Specimen.....	55
10.2.1.1.2	Test Procedure	55
10.2.1.2	Absorption Coefficient Test	55
10.2.2	Semiconducting Extruded Jacket Coatings.....	55
10.2.2.1	Brittleness Temperature	55
10.2.3	Polyvinyl Chloride	55
10.2.3.1	Sunlight Resistance.....	55
10.2.3.1.1	Test Samples.....	55
10.2.3.1.2	Test Procedure	55
10.3	OTHER QUALIFICATION TESTS	56
10.3.1	Insulation Resistance	56
10.3.2	Accelerated Water Absorption Tests.....	56
10.3.3	Resistance Stability Test.....	56

10.3.4	Brittleness Temperature for Semiconducting Shields	57
10.3.5	Discharge Resistance Test for Discharge-Resistant EPR Designs only	57
10.3.5.1	Test Specimens	57
10.3.5.2	Test Environment	57
10.3.5.3	Test Electrodes	57
Part 11	APPENDICES	58
APPENDIX A	NEMA, ICEA, IEEE, ASTM AND ANSI STANDARDS (Normative)	58
A1	NEMA PUBLICATIONS	58
A2	ICEA PUBLICATIONS	58
A3	IEEE AND ANSI STANDARDS	58
A4	ASTM STANDARDS	58
APPENDIX B	EMERGENCY OVERLOADS (Normative)	61
APPENDIX C	PROCEDURE FOR DETERMINING THICKNESS REQUIREMENTS OF THE INSULATION SHIELD, LEAD SHEATH AND JACKET (Normative)	63
APPENDIX D	CABLE COMPONENT FUNCTION (Informative)	65
D1	CONDUCTOR	65
D1.1	Function	65
D1.2	Material	65
D2	CONDUCTOR SHIELD	65
D2.1	Function	65
D2.1.1	Nonconducting	65
D2.1.2	Semiconducting	65
D2.2	Voltage Stress	65
D3	INSULATION	66
D4	INSULATION SHIELD	66
D4.1	Semiconducting Shield	67
D4.2	Metallic Shield	67
D5	JACKET	67
APPENDIX E	HANDLING AND INSTALLATION PARAMETERS (Informative)	69
E1	INSTALLATION TEMPERATURES	69
E2	RECOMMENDED MINIMUM BENDING RADIUS	69
E3	DRUM DIAMETERS OF REELS	69
E4	MAXIMUM TENSION AND SIDEWALL BEARING PRESSURES	69
E5	ELECTRICAL TESTS AFTER INSTALLATION	70
E5.1	Insulation	70
E5.2	Jacket	70
APPENDIX F	TRADITIONAL INSULATION WALL THICKNESS (Informative)	71
APPENDIX G	ADDITIONAL SHIELD WIRE AND CONDUCTOR INFORMATION (Informative)	72
APPENDIX H	ETHYLENE ALKENE COPOLYMER (EAM) (Informative)	75
APPENDIX I	SPECIFICATION FOR ALLOY LEAD SHEATHS (Informative)	76
I1	PURPOSE	76
I2	MATERIAL	76
I3	REQUIREMENTS	76

LIST OF TABLES

Table 2-1	Weight Increment Factors	8
Table 2-2	Nominal Direct Current Resistance in Ohms Per 1000 Feet at 25 °C of Concentric Lay Stranded and Segmental Conductor	9
Table 2-2 (Metric)	Nominal Direct Current Resistance in Milliohms Per Meter at 25 °C of Concentric Lay Stranded and Segmental Conductor	10

Table 2-3	Nominal Diameters for Round Copper and Aluminum Conductors	11
Table 2-3 (Metric)	Nominal Diameters for Round Copper and Aluminum Conductors	12
Table 2-4	Nominal Diameters for Segmental Copper and Aluminum Conductors	13
Table 2-5	Factors for Determining Nominal Resistance of Stranded Conductors Per 1000 Feet at 25 °C	13
Table 3-1	Extruded Conductor Shield Thickness	14
Table 4-1	Conductor Maximum Temperatures	16
Table 4-2	Conductor Sizes, Maximum Insulation Eccentricity, Insulation Maximum Stress and Test Voltages	18
Table 4-3	Insulation Physical Requirements	19
Table 4-4	Partial-Discharge Requirements	19
Table 4-5	Test Voltages for Partial-Discharge Measurements	20
Table 4-6	Impulse Values	20
Table 4-7	Dielectric Constant and Dissipation Factor	21
Table 4-8	Shrinkback Test Requirements	22
Table 5-1	Insulation Shield Thickness	23
Table 6-1	Lead Sheath Thickness	26
Table 7-1	Polyethylene, Black	28
Table 7-2	Polyvinyl Chloride	29
Table 7-3	Semiconducting Extruded Coating	31
Table 7-4	Jacket Thickness and Test Voltage for Tape or Wire Shield Cables	31
Table 7-5	Jacket Thickness and Test Voltage for All Sheath Cables	32
Table 9-1	Test Specimens for Physical and Aging Tests	35
Table 9-2	Bending Requirements for Heat Shock Test	42
Table 9-3	Summary of Production Tests and Sampling Frequency Requirements	47
Table 9-4	Plan E	49
Table 9-5	Plan F	49
Table 10-1	Generic Grouping of Cable Components	51
Table 10-2	Accelerated Water Absorption Properties	56
Table D-1	Jacket Functions	67
Table E-1	Recommended Minimum Bending Radius	69
Table F-1	Traditional Insulation Thickness from AEIC CS7-93, Test Voltages and Conductor Sizes	71
Table G-1	Solid Copper Shield Wires	72
Table G-2	Concentric Stranded Class B Aluminum and Copper Conductors	73
Table G-3	Concentric Stranded Class C and D Aluminum and Copper Conductors	74
Table I-1	Chemical Requirements for Alloy Lead Sheaths	76