

ANSI/ICEA T-27-581
NEMA WC 53-2008

STANDARD TEST METHODS
FOR EXTRUDED DIELECTRIC
POWER, CONTROL,
INSTRUMENTATION, AND
PORTABLE CABLES FOR TEST



Approved as an American National Standard
ANSI Approval Date:6/27/2008

Insulated Cable Engineers Assoc., Inc. Publication No. T-27-581-2008
NEMA Standards Publication No. WC 53-2008

*Standard Test Methods for Extruded Dielectric Power, Control, Instrumentation, and
Portable Cables for Test*

Published by:

National Electrical Manufacturers Association

1300 North 17th Street, Suite 1752
Rosslyn, Virginia 22209

www.nema.org

© Copyright 2008 by the National Electrical Manufacturers Association and the Insulated Cable Engineers Association, Incorporated (ICEA). All rights including translation into other languages reserved under the Universal Copyright Convention, the Berne Convention for the Protection of Literary and Artistic Works, and the International and Pan American Copyright Conventions.

[This is a preview. Click here to purchase the full publication.](#)

NOTICE AND DISCLAIMER

The information in this publication was considered technically sound by the consensus of persons engaged in the development and approval of the document at the time it was developed. Consensus does not necessarily mean that there is unanimous agreement among every person participating in the development of this document.

The National Electrical Manufacturers Association (NEMA) and the Insulated Cable Engineers Association (ICEA) standards and guideline publications, of which the document contained herein is one, are developed through a voluntary consensus standards development process. This process brings together persons who have an interest in the topic covered by this publication. While NEMA and ICEA administers the process and establishes rules to promote fairness in the development of consensus, they do not independently test, evaluate, or verify the accuracy or completeness of any information or the soundness of any judgements contained in its standards and guideline publications.

NEMA and ICEA disclaims liability for personal injury, property, or other damages of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, application, or reliance on this document. NEMA and ICEA disclaims and makes no guaranty or warranty, expressed or implied, as to the accuracy or completeness of any information published herein, and disclaims and makes no warranty that the information in this document will fulfill any of your particular purposes or needs. NEMA and ICEA do not undertake to guarantee the performance of any individual manufacturer or seller's products or services by virtue of this standard or guide.

In publishing and making this document available, NEMA and ICEA are not undertaking to render professional or other services for or on behalf of any person or entity, nor is NEMA and ICEA undertaking to perform any duty owed by any person or entity to someone else. Anyone using this document should rely on his or her own independent judgement or, as appropriate, seek the advice of a competent professional in determining the exercise of reasonable care in any given circumstances. Information and other standards on the topic covered by this publication may be available from other sources, which the user may wish to consult for additional views or information not covered by this publication.

NEMA and ICEA have no power, nor do they undertake to police or enforce compliance with the contents of this document. NEMA and ICEA do not certify, test, or inspect products, designs, or installations for safety or health purposes. Any certification or other statement of compliance with any health or safety-related information in this document shall not be attributable to NEMA and ICEA and is solely the responsibility of the certifier or maker of the statement.

CONTENTS

	Page
Foreword	iv
Section 1 GENERAL	1
1.1 SCOPE	1
1.2 REFERENCES	1
1.2.1 Normative References	1
Section 2 ELECTRICAL METHODS	4
2.1 CONDUCTOR DC RESISTANCE	4
2.1.1 Method When Sample Nominal Resistance is 1 Ohm or More	4
2.1.2 Method When Sample Nominal Resistance is Less Than 1 Ohm	4
2.1.3 Precautions for Short Sample Method	4
2.1.4 Converting Measured Conductor Resistance to Resistance at 25°C	5
2.2 VOLTAGE TESTS ON COMPLETED CABLES	5
2.2.1 General	5
2.2.1.1.1 Single Conductor Cable and Assemblies without an Overall Jacket	6
2.2.1.1.2 Multiple-conductor Cable with an Overall Jacket	6
2.2.2ac Voltage Test	6
2.2.3dc Voltage Test	6
2.2.4 Spark Testing	6
2.3 INSULATION RESISTANCE	8
2.3.1 Single Conductor Cables	8
2.3.2 Multiple Conductor Cables	8
2.3.3 Method to Determine the 1°F Coefficient Factor for an Insulation	8
2.3.4 Converting Insulation Resistance to Insulation Resistance Constant	9
2.4 DISSIPATION FACTOR (DF), CAPACITANCE (C), AND DIELECTRIC CONSTANT	11
2.5 SUITABILITY OF INSULATION COMPOUNDS FOR USE ON DC CIRCUITS IN WET LOCATIONS	11
2.6 ACCELERATED WATER ABSORPTION TEST, ELECTRICAL METHOD AT 60 Hz (EM-60)	12
2.7 DIELECTRIC CONSTANT AND VOLTAGE WITHSTAND FOR NONCONDUCTING STRESS CONTROL LAYERS	12
2.8 SPECIFIC SURFACE RESISTIVITY	13
2.9 U-BEND DISCHARGE RESISTANCE	13
2.10 TRACK RESISTANCE	13
2.11 VOLUME RESISTIVITY	14
2.11.1 Conductor Stress Control	14
2.11.2 Insulation Shield	14
2.11.3 Four-electrode Method	15
2.12 SEMICONDUCTING JACKET RADIAL RESISTIVITY TEST	15
2.12.1 Sample Preparation	15
2.12.2 Test Equipment Setup	17
2.12.3 Calculation	17
2.13 Dry Electrical Test for Class III Insulations (Shielded Medium Voltage Only)	18
2.13.1 Test Samples	18
2.13.2 Test Procedure	18
2.13.3 Electrical Measurements	18
2.14 Discharge Resistance Test for discharge resistant Insulation	18
2.14.1 Test Specimens	18
2.14.2 Test Environment	18
2.14.3 Test Electrodes	19
2.15 Wet Insulation Resistance Stability (600 – 2000 Volts)	19
Section 3 DIMENSIONAL METHODS	21
3.1 CONDUCTOR CROSS-SECTIONAL AREA BY DIAMETER MEASUREMENTS	21
3.2 THICKNESS OF COMPONENTS OVER A CONDUCTOR	21