

Edition 1.0 2017-02

# INTERNATIONAL STANDARD

# NORME INTERNATIONALE



Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications – Part 2: Lithium systems

Accumulateurs alcalins et autres accumulateurs à électrolyte non acide – Exigences de sécurité pour les accumulateurs portables étanches, et pour les batteries qui en sont constituées, destinés à l'utilisation dans des applications portables –

Partie 2: Systèmes au lithium





## THIS PUBLICATION IS COPYRIGHT PROTECTED Copyright © 2017 IEC, Geneva, Switzerland

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from either IEC or IEC's member National Committee in the country of the requester. If you have any questions about IEC copyright or have an enquiry about obtaining additional rights to this publication, please contact the address below or your local IEC member National Committee for further information.

Droits de reproduction réservés. Sauf indication contraire, aucune partie de cette publication ne peut être reproduite ni utilisée sous quelque forme que ce soit et par aucun procédé, électronique ou mécanique, y compris la photocopie et les microfilms, sans l'accord écrit de l'IEC ou du Comité national de l'IEC du pays du demandeur. Si vous avez des questions sur le copyright de l'IEC ou si vous désirez obtenir des droits supplémentaires sur cette publication, utilisez les coordonnées ci-après ou contactez le Comité national de l'IEC de votre pays de résidence.

IEC Central Office Tel.: +41 22 919 02 11 3, rue de Varembé Fax: +41 22 919 03 00

CH-1211 Geneva 20 info@iec.ch Switzerland www.iec.ch

#### About the IEC

The International Electrotechnical Commission (IEC) is the leading global organization that prepares and publishes International Standards for all electrical, electronic and related technologies.

#### About IEC publications

The technical content of IEC publications is kept under constant review by the IEC. Please make sure that you have the latest edition, a corrigenda or an amendment might have been published.

#### IEC Catalogue - webstore.iec.ch/catalogue

The stand-alone application for consulting the entire bibliographical information on IEC International Standards, Technical Specifications, Technical Reports and other documents. Available for PC, Mac OS, Android Tablets and iPad

## IEC publications search - www.iec.ch/searchpub

The advanced search enables to find IEC publications by a variety of criteria (reference number, text, technical committee,...). It also gives information on projects, replaced and withdrawn publications.

#### IEC Just Published - webstore.iec.ch/justpublished

Stay up to date on all new IEC publications. Just Published details all new publications released. Available online and also once a month by email.

#### Electropedia - www.electropedia.org

The world's leading online dictionary of electronic and electrical terms containing 20 000 terms and definitions in English and French, with equivalent terms in 16 additional languages. Also known as the International Electrotechnical Vocabulary (IEV) online.

## IEC Glossary - std.iec.ch/glossary

65 000 electrotechnical terminology entries in English and French extracted from the Terms and Definitions clause of IEC publications issued since 2002. Some entries have been collected from earlier publications of IEC TC 37, 77, 86 and CISPR.

## IEC Customer Service Centre - webstore.iec.ch/csc

If you wish to give us your feedback on this publication or need further assistance, please contact the Customer Service Centre: csc@iec.ch.

#### A propos de l'IEC

La Commission Electrotechnique Internationale (IEC) est la première organisation mondiale qui élabore et publie des Normes internationales pour tout ce qui a trait à l'électricité, à l'électronique et aux technologies apparentées.

#### A propos des publications IEC

Le contenu technique des publications IEC est constamment revu. Veuillez vous assurer que vous possédez l'édition la plus récente, un corrigendum ou amendement peut avoir été publié.

### Catalogue IEC - webstore.iec.ch/catalogue

Application autonome pour consulter tous les renseignements bibliographiques sur les Normes internationales, Spécifications techniques, Rapports techniques et autres documents de l'IEC. Disponible pour PC, Mac OS, tablettes Android et iPad.

## Recherche de publications IEC - www.iec.ch/searchpub

La recherche avancée permet de trouver des publications IEC en utilisant différents critères (numéro de référence, texte, comité d'études,...). Elle donne aussi des informations sur les projets et les publications remplacées ou retirées.

#### IEC Just Published - webstore.iec.ch/justpublished

Restez informé sur les nouvelles publications IEC. Just Published détaille les nouvelles publications parues. Disponible en ligne et aussi une fois par mois par email.

#### Electropedia - www.electropedia.org

Le premier dictionnaire en ligne de termes électroniques et électriques. Il contient 20 000 termes et définitions en anglais et en français, ainsi que les termes équivalents dans 16 langues additionnelles. Egalement appelé Vocabulaire Electrotechnique International (IEV) en ligne.

#### Glossaire IEC - std.iec.ch/glossary

65 000 entrées terminologiques électrotechniques, en anglais et en français, extraites des articles Termes et Définitions des publications IEC parues depuis 2002. Plus certaines entrées antérieures extraites des publications des CE 37, 77, 86 et CISPR de l'IEC.

### Service Clients - webstore.iec.ch/csc

Si vous désirez nous donner des commentaires sur cette publication ou si vous avez des questions contactez-nous: csc@iec.ch.



Edition 1.0 2017-02

## INTERNATIONAL STANDARD

## NORME INTERNATIONALE



Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications – Part 2: Lithium systems

Accumulateurs alcalins et autres accumulateurs à électrolyte non acide – Exigences de sécurité pour les accumulateurs portables étanches, et pour les batteries qui en sont constituées, destinés à l'utilisation dans des applications portables –

Partie 2: Systèmes au lithium

INTERNATIONAL ELECTROTECHNICAL COMMISSION

COMMISSION ELECTROTECHNIQUE INTERNATIONALE

ICS 29.220.30 ISBN 978-2-8322-3910-0

Warning! Make sure that you obtained this publication from an authorized distributor.

Attention! Veuillez vous assurer que vous avez obtenu cette publication via un distributeur agréé.

## CONTENTS

| FC | REWO                             | RD   | 5    |  |  |
|----|----------------------------------|--|------|--|--|
| 1  | Scop                             | e  | 7    |  |  |
| 2  | Norm                             | ative references   | 7    |  |  |
| 3  | Term                             | s and definitions  | 7    |  |  |
| 4  | Parameter measurement tolerances |  |      |  |  |
| 5  | Gene                             | ral safety considerations  | 10   |  |  |
| Ū  | 5.1                              | General  |      |  |  |
|    | 5.2                              | Insulation and wiring  |      |  |  |
|    | 5.3                              | Venting  |      |  |  |
|    | 5.4                              | Temperature, voltage and current management                                  |      |  |  |
|    | 5.5                              | Terminal contacts  |      |  |  |
|    | 5.6                              | Assembly of cells into batteries   |      |  |  |
|    | 5.6.1                            | General  |      |  |  |
|    | 5.6.2                            |  |      |  |  |
|    | 5.6.3                            | •  |      |  |  |
|    | 5.7                              | Quality plan   |      |  |  |
|    | 5.8                              | Battery safety components  |      |  |  |
| 6  | Type                             | test and sample size   |      |  |  |
| 7  |                                  | ific requirements and tests  |      |  |  |
|    | 7.1                              | Charging procedures for test purposes  |      |  |  |
|    | 7.1.1                            |  |      |  |  |
|    | 7.1.2                            | ·  |      |  |  |
|    | 7.2                              | Intended use   |      |  |  |
|    | 7.2.1                            | Continuous charging at constant voltage (cells)                              | . 15 |  |  |
|    | 7.2.2                            |  |      |  |  |
|    | 7.3                              | Reasonably foreseeable misuse  | . 15 |  |  |
|    | 7.3.1                            | External short-circuit (cell)  | . 15 |  |  |
|    | 7.3.2                            | External short-circuit (battery)   | .16  |  |  |
|    | 7.3.3                            | Free fall  | . 16 |  |  |
|    | 7.3.4                            | Thermal abuse (cells)  | . 16 |  |  |
|    | 7.3.5                            | Crush (cells)  | . 17 |  |  |
|    | 7.3.6                            | Over-charging of battery   | . 17 |  |  |
|    | 7.3.7                            | Forced discharge (cells)   | . 17 |  |  |
|    | 7.3.8                            | Mechanical tests (batteries)   | . 18 |  |  |
|    | 7.3.9                            | Design evaluation – Forced internal short-circuit (cells)                    |      |  |  |
| 8  | Inforr                           | nation for safety  | .21  |  |  |
|    | 8.1                              | General  | .21  |  |  |
|    | 8.2                              | Small cell and battery safety information                                    | . 22 |  |  |
| 9  | Mark                             | ng   | . 22 |  |  |
|    | 9.1                              | Cell marking   | . 22 |  |  |
|    | 9.2                              | Battery marking  | .23  |  |  |
|    | 9.3                              | Caution for ingestion of small cells and batteries                           |      |  |  |
|    | 9.4                              | Other information  | .23  |  |  |
| 10 | Pack                             | aging and transport  | .23  |  |  |
|    |                                  | normative) Charging and discharging range of secondary lithium ion cells for | . 24 |  |  |

| A.1            | General   | 24  |
|----------------|---|-----|
| A.2            | Safety of lithium ion secondary battery                                 | 24  |
| A.3            | Consideration on charging voltage                                       | 24  |
| A.3.1          | General   | 24  |
| A.3.2          | Upper limit charging voltage  | 24  |
| A.4            | Consideration of temperature and charging current                       | 26  |
| A.4.1          |   |     |
| A.4.2          | 1 3   |     |
| A.4.3          |   |     |
| A.4.4          | , ,   |     |
| A.4.5          | 1 11 3 3  |     |
| A.4.6          | · · · · · · · · · · · · · · · · · · ·                                   |     |
|                | Sample preparation  |     |
| A.5.1          |   |     |
| A.5.2          | ,                                 |     |
| A.5.3          | , ,   |     |
| A.5.4          |   |     |
| A.5.5          | ,   |     |
| A.5.6          | ·   |     |
| A.6            | Experimental procedure of the forced internal short-circuit test        |     |
| A.6.1          | •                                 |     |
| A.6.2<br>A.6.3 |   |     |
| A.6.3<br>A.6.4 |   |     |
| A.6.4<br>A.6.5 |   |     |
| A.6.6          | 5 1   |     |
| A.6.7          |   |     |
| A.6.8          | -   |     |
| A.6.9          |   |     |
| A.6.1          |   |     |
| A.6.1          |   |     |
|                | informative) Recommendations to equipment manufacturers and battery     |     |
| assembler      | 'S  | 42  |
| Annex C (      | informative) Recommendations to the end-users                           | 43  |
|                | normative) Measurement of the internal AC resistance for coin cells     |     |
| D.1            | General   |     |
| D.2            | Method  |     |
|                | informative) Packaging and transport                                    |     |
|                | informative) Component standards references                             |     |
| •              | hy  |     |
| Dibliograp     | ······································                                  | 7 / |
| Figure 4       | Forced discharge time short   | 4.0 |
| •              | Forced discharge time chart   |     |
| •              | - Jig for pressing  |     |
| Figure 3 –     | - Ingestion gauge   | 22  |
| Figure A.1     | - Representation of lithium ion cells operating region for charging     | 25  |
| Figure A.2     | 2 – Representation of lithium ion cell operating region for discharging | 30  |
| Figure A 3     | S – Shape of nickel particle  | 31  |

| Figure A.4 – Nickel particle insertion position between positive and negative active material coated area of cylindrical cell                | 31 |
|--|----|
| Figure A.5 – Nickel particle insertion position between positive aluminium foil and negative active material coated area of cylindrical cell | 32 |
| Figure A.6 – Disassembly of cylindrical cell   | 33 |
| Figure A.7 – Nickel particle insertion position between positive and negative (active material) coated area of prismatic cell                | 34 |
| Figure A.8 – Nickel particle insertion position between positive aluminium foil and negative (active material) coated area of prismatic cell | 35 |
| Figure A.9 – Disassembly of prismatic cells  | 36 |
| Figure A.10 – Dimensions of a completed nickel particle  | 37 |
| Figure A.11 – Positioning of the nickel particle when it cannot be placed in the specified area  | 38 |
| Figure A.12 – Cylindrical cell   | 38 |
| Figure A.13 – Distance / time ratio of several types of pressing devices   | 41 |
| Table 1 – Sample size for type tests   | 14 |
| Table 2 – Condition of charging procedure  | 15 |
| Table 3 – Conditions for vibration test  | 19 |
| Table 4 – Shock parameters   | 19 |
| Table 5 – Ambient temperature for cell test  | 20 |
| Table A.1 – Examples of operating region charging parameters   | 25 |
| Table A.2 – Recommended specifications of a pressing device  | 40 |
| Table F.1 – Component standard references  | 46 |

## INTERNATIONAL ELECTROTECHNICAL COMMISSION

SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES – SAFETY REQUIREMENTS FOR PORTABLE SEALED SECONDARY CELLS, AND FOR BATTERIES MADE FROM THEM, FOR USE IN PORTABLE APPLICATIONS –

## Part 2: Lithium systems

## **FOREWORD**

- 1) The International Electrotechnical Commission (IEC) is a worldwide organization for standardization comprising all national electrotechnical committees (IEC National Committees). The object of IEC is to promote international co-operation on all questions concerning standardization in the electrical and electronic fields. To this end and in addition to other activities, IEC publishes International Standards, Technical Specifications, Technical Reports, Publicly Available Specifications (PAS) and Guides (hereafter referred to as "IEC Publication(s)"). Their preparation is entrusted to technical committees; any IEC National Committee interested in the subject dealt with may participate in this preparatory work. International, governmental and non-governmental organizations liaising with the IEC also participate in this preparation. IEC collaborates closely with the International Organization for Standardization (ISO) in accordance with conditions determined by agreement between the two organizations.
- 2) The formal decisions or agreements of IEC on technical matters express, as nearly as possible, an international consensus of opinion on the relevant subjects since each technical committee has representation from all interested IEC National Committees.
- 3) IEC Publications have the form of recommendations for international use and are accepted by IEC National Committees in that sense. While all reasonable efforts are made to ensure that the technical content of IEC Publications is accurate, IEC cannot be held responsible for the way in which they are used or for any misinterpretation by any end user.
- 4) In order to promote international uniformity, IEC National Committees undertake to apply IEC Publications transparently to the maximum extent possible in their national and regional publications. Any divergence between any IEC Publication and the corresponding national or regional publication shall be clearly indicated in the latter.
- 5) IEC itself does not provide any attestation of conformity. Independent certification bodies provide conformity assessment services and, in some areas, access to IEC marks of conformity. IEC is not responsible for any services carried out by independent certification bodies.
- 6) All users should ensure that they have the latest edition of this publication.
- 7) No liability shall attach to IEC or its directors, employees, servants or agents including individual experts and members of its technical committees and IEC National Committees for any personal injury, property damage or other damage of any nature whatsoever, whether direct or indirect, or for costs (including legal fees) and expenses arising out of the publication, use of, or reliance upon, this IEC Publication or any other IEC Publications.
- 8) Attention is drawn to the Normative references cited in this publication. Use of the referenced publications is indispensable for the correct application of this publication.
- 9) Attention is drawn to the possibility that some of the elements of this IEC Publication may be the subject of patent rights. IEC shall not be held responsible for identifying any or all such patent rights.

International Standard IEC 62133-2 has been prepared by subcommittee 21A: Secondary cells and batteries containing alkaline or other non-acid electrolytes, of IEC technical committee 21: Secondary cells and batteries.

This first edition cancels and replaces the second edition of IEC 62133 published in 2012. It constitutes a technical revision.

This edition includes the following significant technical changes with respect to IEC 62133:2012:

- separation of nickel systems into a separate Part 1;
- inclusion of coin cell requirements;

This is a preview. Click here to purchase the full publication.

- update of assembly of cells into batteries (5.6);
- mechanical tests [vibration, shock] (7.3.8.1, 7.3.8.2);
- insertion of IEC TR 62914 within the Bibliography.

The text of this standard is based on the following documents:

| FDIS         | Report on voting |
|--------------|------------------|
| 21A/620/FDIS | 21A/628/RVD      |

Full information on the voting for the approval of this standard can be found in the report on voting indicated in the above table.

This publication has been drafted in accordance with the ISO/IEC Directives, Part 2.

The following different practices of a less permanent nature exist in the countries indicated below.

7.3.9: Design evaluation – Forced internal short-circuit test only applies to Korea, Japan, Switzerland and France.

A list of all parts of the IEC 62133 series, published under the general title Secondary cells and batteries containing alkaline or other non-acid electrolytes – Safety requirements for portable sealed secondary cells, and for batteries made from them, for use in portable applications, can be found on the IEC website.

The committee has decided that the contents of this publication will remain unchanged until the stability date indicated on the IEC website under "http://webstore.iec.ch" in the data related to the specific publication. At this date, the publication will be

- reconfirmed,
- withdrawn,
- · replaced by a revised edition, or
- amended.

IMPORTANT – The 'colour inside' logo on the cover page of this publication indicates that it contains colours which are considered to be useful for the correct understanding of its contents. Users should therefore print this document using a colour printer.

## SECONDARY CELLS AND BATTERIES CONTAINING ALKALINE OR OTHER NON-ACID ELECTROLYTES – SAFETY REQUIREMENTS FOR PORTABLE SEALED SECONDARY CELLS, AND FOR BATTERIES MADE FROM THEM, FOR USE IN PORTABLE APPLICATIONS –

## Part 2: Lithium systems

## 1 Scope

This part of IEC 62133 specifies requirements and tests for the safe operation of portable sealed secondary lithium cells and batteries containing non-acid electrolyte, under intended use and reasonably foreseeable misuse.

#### 2 Normative references

The following documents are referred to in the text in such a way that some or all of their content constitutes requirements of this document. For dated references, only the edition cited applies. For undated references, the latest edition of the referenced document (including any amendments) applies.

IEC 60050-482:2004, International Electrotechnical Vocabulary – Part 482: Primary and secondary cells and batteries (available at http://www.electropedia.org)

IEC 61960, Secondary cells and batteries containing alkaline or other non-acid electrolytes – Secondary lithium cells and batteries for portable applications

ISO/IEC Guide 51, Safety aspects – Guidelines for their inclusion in standards

### 3 Terms and definitions

For the purposes of this document, the terms and definitions given in IEC 60050-482, ISO/IEC Guide 51 and the following apply.

#### 3.1

## safety

freedom from unacceptable risk

#### 3.2

#### risk

combination of the probability of occurrence of harm and the severity of that harm

#### 3.3

#### harm

physical injury or damage to the health of people or damage to property or to the environment

#### 3.4

## hazard

potential source of harm

#### 3.5

#### intended use

use of a product, process or service in accordance with specifications, instructions and information provided by the supplier

#### 3.6

#### reasonably foreseeable misuse

use of a product, process or service in a way which is not intended by the supplier, but which may result from readily predictable human behaviour

## 3.7

#### secondary cell

basic manufactured unit providing a source of electrical energy by direct conversion of chemical energy, that consists of electrodes, separators, electrolyte, container and terminals, and that is designed to be charged electrically

#### 3.8

## secondary battery

assembly of secondary cell(s) which may include associated safety and control circuits and case, ready for use as a source of electrical energy characterized by its voltage, size, terminal arrangement, capacity and rate capability

Note 1 to entry: Includes single cell batteries.

#### 3.9

#### leakage

unplanned, visible escape of liquid electrolyte

## 3.10

#### venting

release of excessive internal pressure from a cell or battery in a manner intended by design to preclude rupture or explosion

#### 3.11

## rupture

mechanical failure of a cell container or battery case induced by an internal or external cause, resulting in exposure or spillage but not ejection of materials

## 3.12

## explosion

failure that occurs when a cell container or battery case opens violently and major components are forcibly expelled

#### 3.13

## fire

emission of flames from a cell or battery

#### 3.14

#### portable battery

battery for use in a device or appliance which is conveniently hand-carried

#### 3.15

#### portable cell

cell intended for assembly in a portable battery

### 3.16

## lithium ion polymer cell

cell using gel polymer electrolyte or solid polymer electrolyte, not liquid electrolyte

This is a preview. Click here to purchase the full publication.