IEEE Standard for Separable Insulated Connector Systems for Power Distribution Systems Rated 2.5 kV through 35 kV

IEEE Power and Energy Society

Sponsored by the Insulated Conductors Committee

IEEE 3 Park Avenue New York, NY 10016-5997 USA IEEE Std 386™-2016

(Revision of IEEE Std 386-2006)

IEEE Standard for Separable Insulated Connector Systems for Power Distribution Systems Rated 2.5 kV through 35 kV

Sponsor

Insulated Conductors Committee of the IEEE Power and Energy Society

Approved 30 June 2016

IEEE-SA Standards Board

Abstract: Definitions, service conditions, ratings, interchangeable construction features, and tests are established for loadbreak and deadbreak separable insulated connector systems for use on power distribution systems rated 2.5 kV through 35 kV and 900 A or less.

Keywords: deadbreak connector, elbow connector, IEEE 386[™], loadbreak connector, power distribution systems, separable conductor, separable insulated connector systems

Copyright © 2016 by The Institute of Electrical and Electronics Engineers, Inc. All rights reserved. Published 14 October 2016. Printed in the United States of America.

IEEE is a registered trademark in the US. Patent and Trademark Office, owned by The Institute of Electrical and Electronics Engineers, Incorporated.

PDF: ISBN 978-1-5044-2149-2 STD21006 Print: ISBN 978-1-5044-2150-8 STDPD21006

IEEE prohibits discrimination, harassment, and bullying.

For more information, visit http://www.ieee.org/web/aboutus/whatis/policies/p9-26.html.

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue, New York, NY 10016-5997, USA

Important Notices and Disclaimers Concerning IEEE Standards Documents

IEEE documents are made available for use subject to important notices and legal disclaimers. These notices and disclaimers, or a reference to this page, appear in all standards and may be found under the heading "Important Notice" or "Important Notices and Disclaimers Concerning IEEE Standards Documents."

Notice and Disclaimer of Liability Concerning the Use of IEEE Standards Documents

IEEE Standards documents (standards, recommended practices, and guides), both full-use and trial-use, are developed within IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association ("IEEE-SA") Standards Board. IEEE ("the Institute") develops its standards through a consensus development process, approved by the American National Standards Institute ("ANSI"), which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and participate without compensation from IEEE. While IEEE administers the process and establishes rules to promote fairness in the consensus development process, IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

IEEE does not warrant or represent the accuracy or content of the material contained in its standards, and expressly disclaims all warranties (express, implied and statutory) not included in this or any other document relating to the standard, including, but not limited to, the warranties of: merchantability; fitness for a particular purpose; non-infringement; and quality, accuracy, effectiveness, currency, or completeness of material. In addition, IEEE disclaims any and all conditions relating to: results; and workmanlike effort. IEEE standards documents are supplied "AS IS" and "WITH ALL FAULTS."

Use of an IEEE standard is wholly voluntary. The existence of an IEEE standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard.

In publishing and making its standards available, IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity nor is IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing any IEEE Standards document, should rely upon his or her own independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

IN NO EVENT SHALL IEEE BE LIABLE FOR ANY DIRECT, INDIRECT, INCIDENTAL, SPECIAL, EXEMPLARY, OR CONSEQUENTIAL DAMAGES (INCLUDING, BUT NOT LIMITED TO: PROCUREMENT OF SUBSTITUTE GOODS OR SERVICES; LOSS OF USE, DATA, OR PROFITS; OR BUSINESS INTERRUPTION) HOWEVER CAUSED AND ON ANY THEORY OF LIABILITY, WHETHER IN CONTRACT, STRICT LIABILITY, OR TORT (INCLUDING NEGLIGENCE OR OTHERWISE) ARISING IN ANY WAY OUT OF THE PUBLICATION, USE OF, OR RELIANCE UPON ANY STANDARD, EVEN IF ADVISED OF THE POSSIBILITY OF SUCH DAMAGE AND REGARDLESS OF WHETHER SUCH DAMAGE WAS FORESEEABLE.

Translations

The IEEE consensus development process involves the review of documents in English only. In the event that an IEEE standard is translated, only the English version published by IEEE should be considered the approved IEEE standard.

Official statements

A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered or inferred to be the official position of IEEE or any of its committees and shall not be considered to be, or be relied upon as, a formal position of IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position of IEEE.

Comments on standards

Comments for revision of IEEE Standards documents are welcome from any interested party, regardless of membership affiliation with IEEE. However, IEEE does not provide consulting information or advice pertaining to IEEE Standards documents. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Since IEEE standards represent a consensus of concerned interests, it is important that any responses to comments and questions also receive the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to comments or questions except in those cases where the matter has previously been addressed. For the same reason, IEEE does not respond to interpretation requests. Any person who would like to participate in revisions to an IEEE standard is welcome to join the relevant IEEE working group.

Comments on standards should be submitted to the following address:

Secretary, IEEE-SA Standards Board 445 Hoes Lane Piscataway, NJ 08854 USA

Laws and regulations

Users of IEEE Standards documents should consult all applicable laws and regulations. Compliance with the provisions of any IEEE Standards document does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so

Copyrights

IEEE draft and approved standards are copyrighted by IEEE under US and international copyright laws. They are made available by IEEE and are adopted for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making these documents available for use and adoption by public authorities and private users, IEEE does not waive any rights in copyright to the documents.

Photocopies

Subject to payment of the appropriate fee, IEEE will grant users a limited, non-exclusive license to photocopy portions of any individual standard for company or organizational internal use or individual, non-commercial use only. To arrange for payment of licensing fees, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

Updating of IEEE Standards documents

Users of IEEE Standards documents should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect.

Every IEEE standard is subjected to review at least every 10 years. When a document is more than 10 years old and has not undergone a revision process, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE standard.

In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE-SA Website at http://www.ieee.org/publications_standards/index.html or contact IEEE at the address listed previously. For more information about the IEEE-SA or IEEE's standards development process, visit the IEEE-SA Website at http://standards.ieee.org.

Errata

Errata, if any, for all IEEE standards can be accessed on the IEEE-SA Website at the following URL: http://standards.ieee.org/findstds/errata/index.html. Users are encouraged to check this URL for errata periodically.

Patents

Attention is called to the possibility that implementation of this standard may require use of subject matter covered by patent rights. By publication of this standard, no position is taken by the IEEE with respect to the existence or validity of any patent rights in connection therewith. If a patent holder or patent applicant has filed a statement of assurance via an Accepted Letter of Assurance, then the statement is listed on the IEEE-SA Website at http://standards.ieee.org/about/sasb/patcom/patents.html. Letters of Assurance may indicate whether the Submitter is willing or unwilling to grant licenses under patent rights without compensation or under reasonable rates, with reasonable terms and conditions that are demonstrably free of any unfair discrimination to applicants desiring to obtain such licenses.

Essential Patent Claims may exist for which a Letter of Assurance has not been received. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims, or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this standard are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

Participants

At the time this draft standard was completed, the IEEE 386 Working Group (B16W) had the following membership:

Tim Wall, Chair David Hughes, Vice Chair Carl Wentzel, Past Vice Chair Mike Faulkenberry, Secretary

Ryan AnthanJeffrey HelzerJohn MakalBrian AyersMike JacksonAaron NorrisGary BettsEdward JankowichMichael SmalleyDavid CrottyMichael LauxmanStan SzyszkoMike DyerKen LeeBastiaan van Besouw

Richard Harp Glenn Luzzi Rich Vencus

Jeff Madden

The following members of the individual balloting committee voted on this standard. Balloters may have voted for approval, disapproval, or abstention.

John Ainscough David Hughes Robert Resuali David Jackson Roy Alexander Michael Roberts Saleman Alibhay Richard Jackson Charles Rogers Chris Ambrose Edward Jankowich Bartien Sayogo Michael Smalley Robert Beavers Song Jin Gary Betts A. Jones Jeremy Smith Kenneth Bow Laszlo Kadar Jerry Smith William Byrd Gael Kennedy Gregory Stano Thomas Campbell Yuri Khersonsky James Swank Thomas Champion Jim Kulchisky Stanley Szyszko Robert Christman Chung-Yiu Lam David Tepen Kurt Clemente Benjamin Lanz Nijam Uddin David Crotty Michael Lauxman Bastiaan van Besouw

Glenn Davis Glenn Luzzi Rich Vencus Gary Donner Jeff Madden John Vergis

Mike Faulkenberry John Makal Martin von Herrmann

Marcel Fortin Arturo Maldonado Carl Wall Craig Goodwin John Merando Eric Wall Steven Graham Daleep Mohla William Walter Randall Groves Jerry Murphy Mark Walton Richard Harp Michael Newman Yingli Wen Carl Wentzel Jeffrey Helzer Aaron Norris Lee Herron Lorraine Padden Kenneth White Werner Hoelzl Christopher Petrola Dawn Zhao

Benjamin Quak

When the IEEE-SA Standards Board approved this standard on 30 June 2016, it had the following membership:

Jean-Philippe Faure, Chair Ted Burse, Vice Chair John D. Kulick, Past Chair Konstantinos Karachalios, Secretary

Chuck Adams Masayuki Ariyoshi Stephen Dukes Jianbin Fan J. Travis Griffith Gary Hoffman Ronald W. Hotchkiss Michael Janezic Joseph L. Koepfinger* Hung Ling Kevin Lu Annette D. Reilly Gary Robinson Mehmet Ulema Yingli Wen Howard Wolfman Don Wright Yu Yuan Daidi Zhong

^{*}Member Emeritus

Introduction

This introduction is not part of IEEE Std 386-2016, IEEE Standard for Separable Insulated Connector Systems for Power Distribution Systems Rated 2.5 kV through 35 kV.

This standard was developed in response to a need created by the rapid expansion of underground distribution systems. A key element that allowed this expansion to become a reality is the separable insulated connector. This device provides for simple and inexpensive connection and switching to transformers and other equipment used in underground distribution.

When separable insulated connectors became available, IEEE and the National Electrical Manufacturers Association (NEMA) worked cooperatively to develop a document that defined the interfaces, ratings, and test conditions for the device. The success of that cooperative effort is apparent from both the vast number of these devices now in interchangeable use in the field and their enviable safety record.

This cooperative effort continues due to the ongoing upgrading and changing nature of these underground systems and products. The recent cooperative effort has been provided by the ANSI C119.2 Subcommittee and the IEEE Working Group on Separable Connectors under the auspices of the Insulated Conductors Committee of the IEEE Power Engineering Society.

This revision reflects the following major additions:

- changed the document title to state specific system voltages covered
- defined connector components
- added color coding for 600-A loadbreak connectors
- added 900-A deadbreak connectors
- added 600-A loadbreak connectors
- added 15-, 25-, 28- and 35-kV voltage class designations
- added straight and multi-point ("I," "H," and "Y") connectors
- addressed handling of no-test samples during switching and fault-close testing
- expanded operating interface ac withstand test and made it normative
- added tee connector/cable adaptor interchangeability test
- redrew all figures
- deleted switching test circuit (b), formerly in Figure 19 of IEEE 386-2006, now Figure 28 in this revision of the standard
- removed the requirement for the 15-min dc withstand test (now informative in Annex C)
- removed the requirement for limited interchangeability that was formerly 6.4.2 in IEEE 386-2006
- changed the partial discharge sensitivity from 3 pC to 5 pC
- added that mechanical actuators shall not be used for fault close testing

For information on the application of separable connectors, refer to IEEE Std 1215TM-2013¹

¹For information on references, see Clause 2.