

# **IEEE Guide for Maintenance Methods** on Energized Power Lines

# **IEEE Power & Energy Society**

Sponsored by the Transmission and Distribution Committee



IEEE 3 Park Avenue New York, NY 10016-5997, USA 24 June 2009

IEEE Std 516<sup>™</sup>-2009 (Revision of

IEEE Std 516-2003)

This is a preview. Click here to purchase the full publication.



# IEEE Guide for Maintenance Methods on Energized Power Lines

Sponsor

**Transmission and Distribution Committee** of the **IEEE Power & Energy Society** 

Approved 13 May 2009

**IEEE-SA Standards Board** 

**Abstract:** General recommendations for performing maintenance work on energized power lines are provided. Technical explanations as required to cover certain laboratory testing of tools and equipment, field maintenance and care of tools and equipment, and work methods for the maintenance of energized lines and for persons working in the vicinity of energized lines are included.

**Keywords:** energized, equipment, maintenance, power lines, tools

Copyright © 2009 by the Institute of Electrical and Electronics Engineers, Inc. All rights reserved. Published 24 June 2009. Printed in the United States of America.

IEEE is a registered trademark in the U.S. Patent & Trademark Office, owned by the Institute of Electrical and Electronics Engineers, Incorporated.

National Electrical Safety Code and NESC are both registered trademarks and service marks of the Institute of Electrical and Electronics Engineers, Inc.

PDF: ISBN 978-0-7381-5911-9 STD95910 Print: ISBN 978-0-7381-5912-6 STDPD95910

No part of this publication may be reproduced in any form, in an electronic retrieval system or otherwise, without the prior written permission of the publisher.

The Institute of Electrical and Electronics Engineers, Inc. 3 Park Avenue, New York, NY 10016-5997, USA

**IEEE Standards** documents are developed within the IEEE Societies and the Standards Coordinating Committees of the IEEE Standards Association (IEEE-SA) Standards Board. The IEEE develops its standards through a consensus development process, approved by the American National Standards Institute, which brings together volunteers representing varied viewpoints and interests to achieve the final product. Volunteers are not necessarily members of the Institute and serve without compensation. While the IEEE administers the process and establishes rules to promote fairness in the consensus development process, the IEEE does not independently evaluate, test, or verify the accuracy of any of the information or the soundness of any judgments contained in its standards.

Use of an IEEE Standard is wholly voluntary. The IEEE disclaims liability for any personal injury, property or other damage, of any nature whatsoever, whether special, indirect, consequential, or compensatory, directly or indirectly resulting from the publication, use of, or reliance upon this, or any other IEEE Standard document.

The IEEE does not warrant or represent the accuracy or content of the material contained herein, and expressly disclaims any express or implied warranty, including any implied warranty of merchantability or fitness for a specific purpose, or that the use of the material contained herein is free from patent infringement. IEEE Standards documents are supplied "AS IS."

The existence of an IEEE Standard does not imply that there are no other ways to produce, test, measure, purchase, market, or provide other goods and services related to the scope of the IEEE Standard. Furthermore, the viewpoint expressed at the time a standard is approved and issued is subject to change brought about through developments in the state of the art and comments received from users of the standard. Every IEEE Standard is subjected to review at least every five years for revision or reaffirmation, or every ten years for stabilization. When a document is more than five years old and has not been reaffirmed, or more than ten years old and has not been stabilized, it is reasonable to conclude that its contents, although still of some value, do not wholly reflect the present state of the art. Users are cautioned to check to determine that they have the latest edition of any IEEE Standard.

In publishing and making this document available, the IEEE is not suggesting or rendering professional or other services for, or on behalf of, any person or entity. Nor is the IEEE undertaking to perform any duty owed by any other person or entity to another. Any person utilizing this, and any other IEEE Standards document, should rely upon his or her independent judgment in the exercise of reasonable care in any given circumstances or, as appropriate, seek the advice of a competent professional in determining the appropriateness of a given IEEE standard.

Interpretations: Occasionally questions may arise regarding the meaning of portions of standards as they relate to specific applications. When the need for interpretations is brought to the attention of IEEE, the Institute will initiate action to prepare appropriate responses. Since IEEE Standards represent a consensus of concerned interests, it is important to ensure that any interpretation has also received the concurrence of a balance of interests. For this reason, IEEE and the members of its societies and Standards Coordinating Committees are not able to provide an instant response to interpretation requests except in those cases where the matter has previously received formal consideration. A statement, written or oral, that is not processed in accordance with the IEEE-SA Standards Board Operations Manual shall not be considered the official position of IEEE or any of its committees and shall not be considered to be, nor be relied upon as, a formal interpretation of the IEEE. At lectures, symposia, seminars, or educational courses, an individual presenting information on IEEE standards shall make it clear that his or her views should be considered the personal views of that individual rather than the formal position, explanation, or interpretation of the IEEE.

Comments for revision of IEEE Standards are welcome from any interested party, regardless of membership affiliation with IEEE. Suggestions for changes in documents should be in the form of a proposed change of text, together with appropriate supporting comments. Recommendations to change the status of a stabilized standard should include a rationale as to why a revision or withdrawal is required. Comments and recommendations on standards, and requests for interpretations should be addressed to:

Secretary, IEEE-SA Standards Board 445 Hoes Lane Piscataway, NJ 08854 USA

Authorization to photocopy portions of any individual standard for internal or personal use is granted by The Institute of Electrical and Electronics Engineers, Inc., provided that the appropriate fee is paid to Copyright Clearance Center. To arrange for payment of licensing fee, please contact Copyright Clearance Center, Customer Service, 222 Rosewood Drive, Danvers, MA 01923 USA; +1 978 750 8400. Permission to photocopy portions of any individual standard for educational classroom use can also be obtained through the Copyright Clearance Center.

#### Introduction

This introduction is not part of IEEE Std 516-2009, IEEE Guide for Maintenance Methods on Energized Power Lines.

Live-line maintenance of transmission lines began in the early 1920s and developed into a major working practice as the transmission systems were expanded and the voltages increased.

In the 1950s, when the transmission line voltage exceeded 300 kV line to line, the use of fiberglass to replace wooden tools made a significant change in the industry. Economic conditions prohibited the construction and operation of redundant lines, and the need for live-line maintenance of transmission line increased rapidly.

During the 1950s and 1960s, several papers were written regarding the safety aspects of live-line maintenance. In the early 1970s, the IEEE Transmission and Distribution Committee recognized the need to consolidate information on live-line maintenance, and thus a task group was formed to write a guide. The task group later became the Engineering in Safety, Maintenance, and Operation of Lines (ESMOL) Subcommittee.

This guide was started in the late 1970s and was published in 1986 on a trial-use basis. In 1987, the guide was released as a full-use ANSI/IEEE guide. Since the original publication of the guide, the ESMOL Subcommittee has been working on revisions to the guide to bring it up to the current state of the art and into conformance with other international standards issued in recent years. The ESMOL Subcommittee has added sections from other ESMOL sponsored guides in this edition to expand the scope of the guide to cover more of the industry's needs.

In the guide editions up to 1995, most of table data were obtained from plots. In the 2003 guide, the tables were calculated using the formulas in the guide in a step calculation method.

In this edition of the guide, the tables were calculated using the formulas in the guide. Additional text has been added on the determination of maximum anticipated per-unit transient overvoltage (TOV) T and use of the minimum air insulation distance (MAID) and minimum approach distance (MAD).

During the original development of the guide, it was not intended that it would be used as a document to establish government regulations. However, since its publication in 1986, several government regulatory agencies have used the guide in their rule making. This edition of the guide includes revisions that make it more compatible for use in governmental regulations.

#### **Notice to users**

### Laws and regulations

Users of these documents should consult all applicable laws and regulations. Compliance with the provisions of this standard does not imply compliance to any applicable regulatory requirements. Implementers of the standard are responsible for observing or referring to the applicable regulatory requirements. IEEE does not, by the publication of its standards, intend to urge action that is not in compliance with applicable laws, and these documents may not be construed as doing so.

# Copyrights

This document is copyrighted by the IEEE. It is made available for a wide variety of both public and private uses. These include both use, by reference, in laws and regulations, and use in private self-regulation, standardization, and the promotion of engineering practices and methods. By making this document available for use and adoption by public authorities and private users, the IEEE does not waive any rights in copyright to this document.

# **Updating of IEEE documents**

Users of IEEE standards should be aware that these documents may be superseded at any time by the issuance of new editions or may be amended from time to time through the issuance of amendments, corrigenda, or errata. An official IEEE document at any point in time consists of the current edition of the document together with any amendments, corrigenda, or errata then in effect. In order to determine whether a given document is the current edition and whether it has been amended through the issuance of amendments, corrigenda, or errata, visit the IEEE Standards Association Web site at <a href="http://ieeexplore.ieee.org/xpl/standards.jsp">http://ieeexplore.ieee.org/xpl/standards.jsp</a>, or contact the IEEE at the address listed previously.

For more information about the IEEE Standards Association or the IEEE standards development process, visit the IEEE-SA website at <a href="http://standards.ieee.org">http://standards.ieee.org</a>.

## **Errata**

Errata, if any, for this and all other standards can be accessed at the following URL: http://standards.ieee.org/reading/ieee/updates/errata/index.html. Users are encouraged to check this URL for errata periodically.

## Interpretations

Current interpretations can be accessed at the following URL: http://standards.ieee.org/reading/ieee/interp/index.html.

#### **Patents**

Attention is called to the possibility that implementation of this guide may require use of subject matter covered by patent rights. By publication of this guide, no position is taken with respect to the existence or validity of any patent rights in connection therewith. The IEEE is not responsible for identifying Essential Patent Claims for which a license may be required, for conducting inquiries into the legal validity or scope of Patents Claims or determining whether any licensing terms or conditions provided in connection with submission of a Letter of Assurance, if any, or in any licensing agreements are reasonable or non-discriminatory. Users of this guide are expressly advised that determination of the validity of any patent rights, and the risk of infringement of such rights, is entirely their own responsibility. Further information may be obtained from the IEEE Standards Association.

# **Participants**

At the time this guide was submitted to the IEEE-SA Standards Board for approval, the Live Line Guide Working Group of the Engineering in Safety, Maintenance, and Operation of Lines (ESMOL) Subcommittee had the following membership:

## Charles W. Grose, Chair Thomas Buonincontri, Vice Chair

Gernot Brandt	Ed Hunt	Tim Olson
Ken Brown	Robert Isiminger	A. D. Pierce
Kris Buchholz	Ernie Jones	Tom Rasler
James F. Christensen	Clay King	Larry Schweitzer
Don Dodds	Nestor Kolcio	George Stinnett
J. Fred Doering	Keith Lindsey	Steve Theis
Brian Erga	Sandy Martinez	James Tomaseski
George Gela	Thomas McCarthy	Tom Verdecchio
Donald Gillies*	George Niles	Keith Wallace
Randy Horton		David Wallis

<sup>\*</sup> The Live Line Guide Working Group acknowledges the contributions of Donald Gillies, who passed away shortly before the publication of this guide.

The following members of the individual balloting committee voted on this guide. Balloters may have voted for approval, disapproval, or abstention.

William J. Ackerman T. Olsen Lee Herron Chris Ambrose Werner Hoelzl Tim Olson Gregory Ardrey Randy Horton Carl Orde Stan Arnot Ed Hunt Robert Oswald Ali Al Awazi Magdi Ishac A. D. Pierce R. Jackson Tom Rasler Robert Barnett Robert Bendall Gael Kennedy Keith Reese Harvey Bowles Albert J. Keri Michael Roberts Gernot Brandt Tanuj Khandelwal Charles Rogers Thomas Buonincontri Yuri Khersonsky Thomas Rozek J. Koepfinger **Bob Saint** William Byrd James F. Christensen Nestor Kolcio Bartien Sayogo Robert Christman David W. Krause Dennis Schlender Kevin Coggins Larry Schweitzer Jim Kulchisky Tommy Cooper Saumen Kundu Charles A. Shaw Luis Coronado Donald Laird Jeffrey Sisson F. A. Denbrock Chung-Yiu Lam James E. Smith J. Fred Doering Stephen Lambert Jerry Smith Gary L. Donner Keith Lindsey R. Sundararajan Gary Engmann Federico Lopez Michael Swearingen Brian Erga Faramarz Maghsoodlou James Tomaseski David Garrett Keith Malmedal John Vergis Waymon Goch Thomas McCarthy Martin Von Herrmann

Edwin Goodwin Daniel Mulkey Carl Wall Charles W. Grose Jerry Murphy Keith Wallace Michael S. Newman Daniel Ward Randall Groves Ajit Gwal James Wilson

When the IEEE-SA Standards Board approved this guide on 13 May 2009, it had the following membership:

Robert M. Grow, Chair Thomas Prevost, Vice Chair Steve M. Mills, Past Chair Judith Gorman, Secretary

John Barr Karen Bartleson Victor Berman Ted Burse Richard DeBlasio Andy Drozd Mark Epstein Alexander Gelman Jim Hughes Richard H. Hulett Young Kyun Kim Joseph L. Koepfinger\* John Kulick

David J. Law Ted Olsen Glenn Parsons Ronald C. Petersen Narayanan Ramachandran Jon Walter Rosdahl

Sam Sciacca

Also included are the following nonvoting IEEE-SA Standards Board liaisons:

Howard L. Wolfman, *TAB Representative*Michael Janezic, *NIST Representative*Satish K. Aggarwal, *NRC Representative* 

Lisa Perry
IEEE Standards Program Manager, Document Development

Matthew J. Ceglia
IEEE Standards Program Manager, Technical Program Development

<sup>\*</sup>Member Emeritus

# Contents

1. Overview	1
1.1 Scope	1
1.2 Purpose	
1.3 Application	
1.3 Аррисанов	2
2. Normative references	2
3. Definitions, acronyms, and abbreviations	5
3.1 Definitions	5
3.2 Acronyms and abbreviations	9
4. Technical considerations	10
4.1 Introduction	10
4.2 Insulating properties	
4.3 Air as insulation.	
4.4 Factors that affect the air insulation	13
4.5 Air gap distances	13
4.6 Distance equations	
4.7 Factors used to determine MAID, MTID, MAD, Mad for Tools, and MHAD	
4.8 Control of TOVs	
4.9 Application of MAID, MTID, MAD, MAD for Tools, and MHAD	
4.10 Insulation systems	51
5. Tools and equipment	55
5.1 Categories of insulating tools and equipment	55
5.2 Equipment rating	
5.3 Electrical current flows	59
5.4 Tool and equipment testing	60
5.5 Testing of FRP live work tools	
5.6 Typical tests for insulating tools	
5.7 Worksite procedures	
5.8 Shop or laboratory procedures	
5.9 Insulating rope	
5.10 Histograms	, 0
5.11 Electrical test references	
5.12 Marking and identification—general 5.13 Restoration or temporary structures	
• •	
6. In-service checking and care of insulated tools and equipment	78
6.1 Introduction	
6.2 Scope	
6.3 Field care, handling, and storage	
6.4 Periodic inspection and checking	
6.5 Maintenance and repair of tools and equipment	84