

Translated and Published by Japanese Standards Association

JIS C 8711: 2019

(BAJ/JSA)

Secondary cells and batteries containing alkaline or other non-acid electrolytes—Secondary lithium cells and batteries for portable applications

ICS 29.220.99

**Reference number : JIS C 8711 : 2019 (E)** 

C 8711:2019

Date of Establishment: 2000-12-20

Date of Revision: 2019-11-20

Date of Public Notice in Official Gazette: 2019-11-20

Investigated by: Japanese Industrial Standards Committee

Standards Board for IEC area

JIS C 8711:2019, First English edition published in 2020-06

Translated and published by: Japanese Standards Association Mita MT Building, 3-13-12, Mita, Minato-ku, Tokyo, 108-0073 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

## © JSA 2020

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

AT

## **Contents**

	Page
Introduction	
1	Scope1
2	Normative references — 2
3	Terms and definitions ————————————————————————————————————
4	Parameter measurement tolerances ························4
5 5.1 5.2 5.3	Cell designation and marking4Secondary lithium cell and battery designation4Marking6Design and produce requirement of batteries7
6	Examples of cells7
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8	Electrical tests and required characteristics8General8Charging procedure for test purposes10Discharge performance test10Charge (capacity) retention and recovery11Charge (capacity) recovery after long term storage12Endurance in cycles12Battery internal resistance13Electrostatic discharge (ESD)15
7A	Mechanical tests and required characteristics15
7B 8 8.1 8.2	Safety tests and required characteristics
Ann	ex A (informative) Dimensions of the cell with a laminate film case17
Ann	ex B (informative) Capacity after storage19
Ann	ex JA (informative) Comparison table between JIS and corresponding International Standard