



JAPANESE
INDUSTRIAL
STANDARD

Translated and Published by
Japanese Standards Association

JIS C 8328 : 2003
(JEWA/JSA)

**Low voltage panelboards for
household use**

ICS 29.130.20; 91.140.50

Reference number : JIS C 8328 : 2003 (E)

Foreword

This translation has been made based on the original Japanese Industrial Standard revised by the Minister of Economy, Trade and Industry through deliberations at the Japanese Industrial Standards Committee, as the result of proposal for revision of Japanese Industrial Standard submitted by the Japan Electrical Wiring Devices and Equipment Industries Association (JEWA)/the Japanese Standards Association (JSA) with the draft being attached, based on the provision of Article 12 Clause 1 of the Industrial Standardization Law applicable to the case of revision by the provision of Article 14. Consequently **JIS C 8328 : 1995** is replaced with this Standard.

Attention is drawn to the possibility that some parts of this Standard may conflict with a patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have technical properties. The relevant Minister and the Japanese Industrial Standards Committee are not responsible for identifying the patent right, application for a patent after opening to the public, utility model right or application for registration of utility model after opening to the public which have the said technical properties.

Date of Establishment: 1978-11-01

Date of Revision: 2003-05-20

Date of Public Notice in Official Gazette: 2003-05-20

Investigated by: Japanese Industrial Standards Committee
Standards Board

Technical Committee on Electricity
Technology

JIS C 8328:2003, First English edition published in 2003-10

Translated and published by: Japanese Standards Association
4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents,
the original JIS is to be the final authority.

© JSA 2003

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

Contents

	Page
1 Scope	1
2 Normative references	1
3 Definitions	1
4 Standard service conditions	3
5 Classification	3
6 Rating and number of branch circuits	4
7 Performance	5
7.1 Temperature rise	5
7.2 Insulation resistance	5
7.3 Dielectric withstand voltage	5
7.4 Resistance to heat	5
7.5 Cover retention force	5
7.6 Mechanical strength of cabinet	5
7.7 Strength of terminal part	5
7.8 Flame retardance	5
7.9 Opening and closing performances of door	6
8 Construction, dimensions and materials	6
8.1 Construction in general	6
8.2 Main switch and branch switch	6
8.3 Mounting part of current limiter	7
8.4 Bus bar and branch conductor	7
8.5 Joints of conductors	9
8.6 External wiring terminal	10
8.7 Prevention of contact with live part	10
8.8 Insulation distance	11
8.9 Earth terminal	11
8.10 Branch conductor earth terminal	11
8.11 Operating part for switching	12