

Translated and Published by Japanese Standards Association

JIS C 8711:2013

(BAJ/JSA)

Secondary cells and batteries containing alkaline or other non-acid electrolytes—Secondary lithium cells and batteries for portable applications

ICS 29.220.99

Reference number: JIS C 8711: 2013 (E)

C 8711:2013

Date of Establishment: 2000-12-20

Date of Revision: 2013-01-21

Date of Public Notice in Official Gazette: 2013-01-21

Investigated by: Japanese Industrial Standards Committee

Standards Board

Technical Committee on Electricity Technology

JIS C 8711:2013, First English edition published in 2013-11

Translated and published by: Japanese Standards Association 4-1-24, Akasaka, Minato-ku, Tokyo, 107-8440 JAPAN

In the event of any doubts arising as to the contents, the original JIS is to be the final authority.

© JSA 2013

All rights reserved. Unless otherwise specified, no part of this publication may be reproduced or utilized in any form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from the publisher.

Printed in Japan

KK/AT

Contents

	Page
Intro	duction1
1	Scope1
2	Normative references — 1
3	Terms and definitions ————————————————————————————————————
4	Parameter measurement tolerances
4A	Measuring instruments
5 5.1 5.2 5.3	Designation and marking
6	Examples of specifications and designation of cells 6
7 7.1 7.2 7.3 7.4 7.5 7.6 7.7 7.8	Electrical tests and required characteristics6General6Charging procedure for test purposes8Discharge performance8Charge (capacity) retention and recovery9Capacity recovery after long term storage10Endurance in cycles10Battery internal resistance11Electrostatic discharge (ESD)12
7A	Mechanical tests and required characteristics
7B	Safety tests and required characteristics
8 8.0A 8.1 8.2	Test protocol and conditions for type approval
Anne	x JA (informative) Comparison table between JIS and corresponding International Standard15