

UL 44

STANDARD FOR SAFETY

Thermoset-Insulated Wires and Cables



MAY 14, 2021 - UL44 tr1

UL Standard for Safety for Thermoset-Insulated Wires and Cables, UL 44

Nineteenth Edition, Dated January 9, 2018

Summary of Topics

This revision of ANSI/UL 44 dated May 14, 2021 includes a Modification of Requirements for Conductor Stranding Marking on Product; 6.1.5 and Table 49

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated October 9, 2020.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

tr2 MAY 14, 2021 - UL44

No Text on This Page

This is a preview. Click here to purchase the full publication.



Association of Standardization and Certification NMX-J-451-ANCE-2018 Sixth Edition



CSA Group CSA C22.2 No. 38-18 Eleventh Edition



Underwriters Laboratories Inc. UL 44 Ninteenth Edition

Thermoset-Insulated Wires and Cables

January 9, 2018

(Title Page Reprinted: May 14, 2021)





Commitment for Amendments

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (operating as "CSA Group"), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA Group, or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA Group, and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA Group and UL pages.

Copyright © 2021 ANCE

Rights reserved in favor of ANCE.

ISBN 978-1-4883-0489-7 © 2018 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at www.csagroup.org/store/ or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2021 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Nineteenth Edition including revisions through May 14, 2021. The most recent designation of ANSI/UL 44 as an American National Standard (ANSI) occurred on May 14, 2021. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

The Department of Defense (DoD) has adopted UL 44 on April 5, 1985. The publication of revised pages or a new edition of this Standard will not invalidate the DoD adoption.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at https://csds.ul.com.

To purchase UL Standards, visit UL's Standards Sales Site at http://www.shopulstandards.com/HowToOrder.aspx or call toll-free 1-888-853-3503.

CONTENTS

PREFA	CE	7
1	Scope	9
2	General	9
	2.1 Units of measure	9
	2.2 Reference publications	9
	2.3 General requirements	13
3	Definitions	13
4	Construction	14
	4.1 Conductors	14
	4.2 Insulation	
	4.3 Jackets or fibrous coverings over single conductors	
	4.4 Shielding (optional)	
	4.5 Multiple-conductor cables	
	4.6 Color coding	
	4.7 Fillers and protective materials	
	4.8 Jacket separators	
	4.9 Jackets	22
	4.10 Evaluation of new materials – Establishment of dry temperature rating of alternative insulation and jacketing materials for use in this Standard	
	4.11 Assemblies that include single-conductor thermoset-insulated wires	
5	Test Requirements	
	5.1 General	
	5.2 Conductor resistance	
	5.3 Tests on aluminum conductors	
	5.4 Long-term insulation resistance in water	
	5.5 Long-term insulation resistance in air for 90°C rated conductors	
	5.6 Capacitance and relative permittivity	
	5.7 Conductor corrosion	
	5.8 Insulation fall-in	
	5.9 Heat shock of thermoplastic jacket	
	5.10 Flexibility of separator under a thermoplastic jacket	
	5.11 Cold bend and cold impact	
	5.13 Hot-creep elongation and hot-creep set	
	5.14 Flame and smoke	
	5.15 Weather (sunlight) resistance (optional).	
	5.16 Oil resistance (optional)	
	5.17 Gasoline and oil resistance (optional)	
	5.18 Crushing resistance	
	5.19 Dielectric breakdown after glancing impact	
	5.20 Durability of ink printing	
	5.21 Shrinkback	
	5.22 Evaluation of new materials – establishment of temperature rating	32
	5.23 AC spark test	
	5.24 Dielectric voltage-withstand in water	
	5.25 Insulation resistance in water at 15°C	33
	5.26 Electrical continuity	33
6	Marking	
	6.1 Marking on product	33
	6.2 Marking on package	36
7	Deep-Well Submersible Water-Pump Cable	
	7.1 General	37

	7.2 Construction	37
	7.3 Markings	39
	7.4 Tests	
TABI	LES	41
Annex A	(informative) – Conductor types covered by this Standard	
Annex B	(informative) – Summary of requirements	
Annex C	(normative) – Chemical composition of aluminum conductors	
Annex D	(normative) – Copper-clad aluminum conductors	
D.1	General	85
D.2	Sizes and stranding	85
D.3	Conductor resistance	85
D.4	Physical properties	85
D.5	Marking requirements	
Annex F	(informative) – Rope-lay stranded flexible conductors	
Annex G	(normative) - Protective coverings other than jackets	
G.1	General	91
G.2	Tapes	91
G.3	Cotton braids	91
	G.3.1 General	91
	G.3.2 Coverage	92
G.4	All-glass and glass/cotton braids	94
	G.4.1 General	94
	G.4.2 Glass content	94
G.5	Cotton wraps and servings	95
	G.5.1 General	95
	G.5.2 Coverage	95
G.6	Glass wraps	96
G.7	Braids and wraps	96
G.8	Saturation of fibrous coverings other than tapes	
G.9		
G.9	Finish	97

Annex H (normative for Canada) – Color identification of circuit conductors

Annex I (normative) – Formulas for calculating insulation resistance of types having parameters other than as specified in this Standard

Annex J (normative) - Alternative national markings

This is a preview. Click here to purchase the full publication.

Annex K (normative) – Requirements for Types RW75, R90, and RW90 rated 5000 V

K.1	General	106
K.2	Construction	106
	K.2.1 Conductors	106
	K.2.2 Conductor shielding	106
	K.2.3 Insulation	106
	K.2.4 Jackets	
K.3	Tests	
	K.3.1 Long-term insulation resistance in water	106
	K.3.2 Insulation resistance in air for Type R90, rated 5000 V	
	K.3.3 Dielectric voltage-withstand in water	106
	K.3.4 Insulation resistance in water at 15°C	
	K.3.5 Resistivity of extruded semiconducting shielding	107

No Text on This Page