



UL 917

STANDARD FOR SAFETY

Clock-Operated Switches

This is a preview. [Click here to purchase the full publication.](#)

UL Standard for Safety for Clock-Operated Switches, UL 917

Fifth Edition, Dated November 10, 2006

Summary of Topics

These revisions to UL 917 dated July 19, 2016 are being issued to include Adding Requirements for the Test Method and Simulated Electrical Loads for Electronic Ballast, CFL and LED Driver Ratings From NEMA 410-2011 and other miscellaneous editorial updates.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new/revised requirements are substantially in accordance with Proposal(s) on this subject dated June 3, 2015, December 18, 2016 and April 15, 2016.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

NOVEMBER 10, 2006

(Title Page Reprinted: July 19, 2016)

1

UL 917

Standard for Clock-Operated Switches

First Edition – August, 1974

Second Edition – April, 1977

Third Edition – May, 1985

Fourth Edition – July, 1994

Fifth Edition

November 10, 2006

This UL Standard for Safety consists of the Fifth Edition including revisions through July 19, 2016.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2016 UNDERWRITERS LABORATORIES INC.

This is a preview. [Click here to purchase the full publication.](#)

No Text on This Page

CONTENTS

INTRODUCTION

1 Scope	6
2 Glossary	6
3 Components	7
4 Units of Measurement	7
5 References	8

CONSTRUCTION

6 Frame and Enclosure	8
6.1 General	8
6.2 Nonmetallic	10
6.3 Cast metal	11
6.4 Sheet metal	11
6.5 Covers	13
6.6 Openings	14
6.7 Screens and expanded metal	16
6.8 Conduit openings	16
7 Rainproof Enclosures	17
8 Mounting	18
8.1 General	18
8.2 Plug-in devices	19
9 Assembly	21
10 Operating Mechanism	22
11 Corrosion Protection	22
12 Insulating Material	23
13 Field Connections	23
14 Supply Connections	23
14.1 Permanently connected devices	23
14.2 Connections for wiring systems	24
14.3 Terminals	25
15 Cord-Connected Devices	26
15.1 Cords and plugs	26
15.2 Polarization	26
15.3 Strain relief	27
15.4 Bushings	27
16 Grounding	27
17 Receptacles	28
18 Bonding of Internal Parts	29
18.1 General	29
18.2 Construction and connection	30
19 Current-Carrying Parts	30
20 Internal Wiring	31
21 Coil Windings	32
22 Spacings	32
23 Field-Wiring Space	35

PERFORMANCE

24	General	.35
25	Leakage Current Test	.35
26	Temperature Test	.37
27	Overload Test	.41
28	Endurance Test	.44
29	Tungsten-Filament-Lamp Load Test	.45
29A	Electronic Ballast, CFLs and LED Driver Rated Controls	.46A
30	Test Conditions	.46C
31	Rain Test	.46D
32	Dielectric Voltage-Withstand Test	.50
33	Impact Test	.51
34	Metallic Coating Thickness Test	.51
35	Gasket Tests	.53
36	Grounding Resistance Test	.53
37	Strain Relief Test	.53
38	Snap-On Cover Tests	.54
39	Knockout Secureness Test	.54
40	Humidity Test	.54
41	Abnormal Operation Test	.54
	41.1 Adverse conditions of operation	.54
	41.2 Abnormal Switching Test	.54A

RATINGS

42	Details	.55
----	---------	-----

MARKINGS

43	Details	.56
----	---------	-----

TV RATED SWITCHES**GENERAL**

44	Details	.58
----	---------	-----

CONSTRUCTION

45	Enclosure	.58
	45.1 General	.58
	45.2 Insulating material	.58
	45.3 Switch enclosure openings	.58A
	45.4 Wire leads	.58A