



UL 859

STANDARD FOR SAFETY

Household Electric Personal Grooming Appliances

UL Standard for Safety for Household Electric Personal Grooming Appliances, UL 859

Eleventh Edition, Dated June 20, 2012

Summary of Topics

This revision of ANSI/UL 859 dated July 14, 2021 includes the following changes in requirements:

– Addition of Cord Tag Evaluated to UL 969A; [58.1.1](#), Section [63](#), [72.1.4](#), [72.4.2](#), [72.4.4](#), [72.5.2](#), [72.5.4](#), and [83.5](#)

– Replacement of reference to UL 508C, Standard for Power Conversion Equipment with the reference to UL 61800-5-1, Standard for Adjustable Speed Electrical Power Drive Systems – Part 5-1: Safety Requirements – Electrical, Thermal and Energy; [28.3.7](#)

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated May 7, 2021.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page

JUNE 20, 2012
(Title Page Reprinted: July 14, 2021)



ANSI/UL 859-2021

1

UL 859

Standard for Household Electric Personal Grooming Appliances

The first, second, and third editions were titled Beauty-Parlor Equipment. The fourth, fifth, and sixth editions were titled Electric Personal Grooming Appliances.

First Edition – September, 1954
Second Edition – November, 1966
Third Edition – May, 1971
Fourth Edition – July, 1975
Fifth Edition – July, 1978
Sixth Edition – February, 1984
Seventh Edition – January, 1988
Eighth Edition – January, 1991
Ninth Edition – December, 1995
Tenth Edition – August, 2002

Eleventh Edition

June 20, 2012

This ANSI/UL Standard for Safety consists of the Eleventh Edition including revisions through July 14, 2021.

The most recent designation of ANSI/UL 859 as an American National Standard (ANSI) occurred on July 14, 2021. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, and Title Page.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

COPYRIGHT © 2021 UNDERWRITERS LABORATORIES INC.

No Text on This Page

CONTENTS

INTRODUCTION

1	Scope	7
2	Components	7
3	Units of Measurement	8
4	Undated References	9
5	Glossary	9

CONSTRUCTION

6	General	14
7	Hair Dryer Immersion Protection	15
8	Frame and Enclosure	20
	8.1 General	20
	8.2 Polymeric enclosures and parts	20
	8.3 Metal enclosures	20
	8.4 Corrosion resistance	21
	8.5 Accessibility of live parts	21
	8.6 Doors and covers	26
9	Reduction of Risk of Injury to Persons	26
	9.1 General	26
	9.2 Appliances with reservoirs	26
	9.3 Wax depilatory appliances	27
10	Mechanical Assembly	28
11	Stability	29
12	Hanging and Mounting Means	29
13	Supply Connections	30
	13.1 Permanently-connected appliances	30
	13.2 Wiring terminals	30
	13.3 Cord-connected appliances	32
	13.4 Strain relief	40
	13.5 Bushings	41
	13.6 Direct plug-in appliances	42
14	Live Parts	46
15	Reservoirs	46
16	Internal Wiring	46
17	Heating Element	49
18	Electrical Insulation	49
	18.1 General	49
	18.2 Film-coated wire (magnet wire)	50
19	Thermal Insulation	50
20	Overcurrent Protection	51
21	Thermal Cutoffs (Fusible Links)	51
22	Lampholders and Receptacles	51
23	Switches	52
	23.1 General	52
	23.2 Dual-voltage selector	54
24	Automatic Controls and Control Circuits	54
	24.1 General	54
	24.2 Electromechanical and electronic controls	56
25	Controls – End Product Test Parameters	56
	25.1 General	56
	25.2 Auxiliary controls	56

	25.3 Electronic Operating controls (regulating controls).....	57
	25.4 Electronic Protective controls (limiting controls).....	58
26	Spacings	60
	26.1 General.....	60
	26.2 Spacings on printed wiring boards.....	61
27	Grounding	61
28	Motors.....	62
	28.1 Construction.....	62
	28.2 Brush wear-out.....	62
	28.3 Overload protection	63
	28.4 Insulation systems	65
29	Transformers	65
30	Batteries and Battery Chargers.....	66
31	Capacitors	66
32	Light Sources and Associated Components	67
33	Ionization Circuits.....	67
33A	Button or Coin Cell Batteries of Lithium Technologies.....	68

PERFORMANCE

34	General	68
35	Strength of Enclosure Test	68
36	Tip-Over Test	69
37	Stability Test	69
38	Leakage Current Test	70
39	Leakage Current Test Following Humidity Conditioning	72
40	Immersion Protection Trip Time Measurement Test.....	72
	40.1 As-received hair dryers	72
	40.2 Conditioned hair dryers	74
41	Dew Point Humidity Test	75
42	Conductive Coating Test	75
	42.1 General.....	75
	42.2 Thermal cycling	76
	42.3 Limited thermal aging.....	76
	42.4 Short term aging	78
	42.5 Humidity conditioning.....	78
43	Power Input Test	78
44	Normal Temperature Test.....	78
	44.1 All appliances	78
	44.2 Wax depilatory appliances.....	86
	44.3 Heated air curling irons and brushes	86
	44.4 Hair-drying appliances	89
	44.5 Hand-supported hair dryers	89
45	Dielectric Voltage-Withstand Test	92
46	Abnormal Operation Tests.....	92
	46.1 General.....	92
	46.2 Hair dryers – drape test.....	93
	46.3 Hair dryer locked rotor test.....	94
	46.4 Hand-supported hair dryers	94
	46.5 Dual-voltage appliances	97
	46.6 All appliances – short-circuit, stall tests.....	98
	46.7 Hair curler heater – short-circuit test.....	98
	46.8 Bonnet-type hair dryers – hair entanglement test.....	99
	46.9 Wax depilatory appliances.....	99
	46.10 Hair dryer immersion protective devices with convenience receptacles	100
	46.11 Appliances having an automatically-controlled preheat cycle	101

47	Exposure to Moisture Test.....	101
48	Strain Relief Test	102
49	Cord Flexing Test	102
50	Cord Flexing Test for Appliance Leakage-Current-Interrupter (ALCI)	104
51	Test for Security of Swivel Assembly	106
52	Swivel Endurance Test	106
53	Hinge Endurance Test	107
54	Test of Automatic Controls	107
	54.1 Overload	107
	54.2 Endurance	108
55	Test of Thermal Cutoffs (Fusible Links)	109
56	Motor Control Overload Test.....	109
57	Grounding Continuity Test.....	110
58	Test for Permanence of Cord Tag for Hand-Supported Hair-Drying Appliances.....	110
	58.1 General.....	110
	58.2 Test conditions	110
	58.3 Test method	111
59	Mounting Means Strength Test	111
60	Extended Operation Test.....	111
61	Heating Element Endurance Test.....	114
62	Test of Physical Properties of a Liquid Container, Seal, or Diaphragm.....	114
63	Label Adhesion Test (<i>Deleted</i>).....	115
64	Flammability Test – Wax for Depilatory Appliances.....	115
65	Additional Testing for Hand-Supported Grooming Appliances with a Detachable Power Supply Cord and for Hand-Supported Grooming Appliances with Detachable Parts Intended to be Disconnected From Power Under Load Conditions	116
66	Thermoplastic Motor Insulation Systems	118
	66.1 General.....	118
	66.2 Abnormal conditioning.....	119
	66.3 Overload-burnout conditioning	119
	66.4 Thermal aging	119
67	Ozone Test	121

MANUFACTURING AND PRODUCTION-LINE TESTS

68	Dielectric Voltage-Withstand Test	121
69	Grounding Continuity Test.....	123
	69.1 Continuity of grounding connection	123
	69.2 Electrical indicating device.....	124
70	Hair Dryer Power Input Test	124

RATINGS

71	Details	124
----	---------------	-----

MARKINGS

72	Details	125
	72.1 General.....	125
	72.2 Body- or table-supported hood- or bonnet-type hair dryers.....	126
	72.3 Dual-voltage appliances	126
	72.4 Hand-supported hair-drying appliances	126
	72.5 Permanently-installed wall-mounted hair dryers	128
	72.6 Curling irons.....	131
	72.7 Direct plug-in appliances	132

72.8 Wax depilatory appliances	132
72.9 Appliances with GFCIs or similar protective devices	133
72.10 Convenience receptacle of a hand-supported hair dryer immersion protective device.....	133
72.11 Hand-supported appliances with detachable power supply cords	133

INSTRUCTION MANUALS

73 General	133
74 Instructions Pertaining to a Risk of Fire, Electric Shock, or Injury to Persons	134
75 Installation Instructions	141
76 Operating Instructions.....	142
77 User-Maintenance Instructions	145

ELECTRODE-TYPE APPLIANCES

78 General	145
79 Construction	145
80 Operation Test	145
81 Leakage Current Test	146
82 Disassembly and Reassembly.....	148
83 Markings.....	148
84 Operating Instructions.....	149

WALL-HUNG HAIR DRYERS

85 Scope.....	149
86 General	149
87 Construction	149
88 Performance	150
89 Markings.....	150
90 Use and Care Instructions.....	150
91 Installation Instructions	151

SUPPLEMENT SA – HAIR DRYER ACCESSORIES

SA1 Scope	153
SA2 General.....	153
SA3 Markings	153
SA3.1 General	153
SA3.2 Hair dryer accessories	153
SA3.3 Product packaging	153
SA3.4 Instruction sheet	154
SA4 Instructions	155