



# UL 489

## STANDARD FOR SAFETY

Molded-Case Circuit Breakers, Molded-Case  
Switches and Circuit-Breaker Enclosures



UL Standard for Safety for Molded-Case Circuit Breakers, Molded-Case Switches and Circuit-Breaker Enclosures, UL 489

Thirteenth Edition, Dated October 24, 2016

## **SUMMARY OF TOPICS**

***This revision of ANSI/UL 489 dated April 22, 2019, incorporates the following:***

***Exception for 6" Minimum Length of Field Wiring Conductor (Lead)***

***Revision to the Requirements for Draw-out Circuit Breakers***

***Revisions to the Calibration Requirements for Supplement SB***

***Revision to Table 7.1.7.3 – Available current in test circuits***

***Revised Requirements for Accessory Terminal Leads Wire Size***

***Addition of Requirements from UL 489G into UL 489***

***Editorial corrections***

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated May 11, 2018, October 5, 2018 and December 21, 2018.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page



**Association of Standardization and Certification**  
**NMX-J-266-ANCE-2016**  
**Fifth Edition**



**CSA Group**  
**CSA C22.2 No. 5-16**  
**Fourth Edition**



**Underwriters Laboratories Inc.**  
**UL 489**  
**Thirteenth Edition**

## **Molded-Case Circuit Breakers, Molded-Case Switches, and Circuit-Breaker Enclosures**

October 24, 2016

(Title Page Reprinted: April 22, 2019)



**ANSI/UL 489-2019**

## Commitment for Amendments

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (operating as “CSA Group”), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA Group, or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA Group, and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA Group and UL pages.

---

## Copyright © 2016 ANCE

Rights reserved in favor of ANCE.

---

## ISBN 978-1-4883-0242-8 © 2016 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. The technical content of the IEC and ISO publications is kept under constant review by IEC and ISO. To submit a proposal for change, please send the following information to [inquires@csagroup.org](mailto:inquires@csagroup.org) and include “Proposal for change” in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at [shop.csa.ca](http://shop.csa.ca) or call toll-free 1-800-463-6727 or 416-747-4044.

---

## Copyright © 2019 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Thirteenth Edition including revisions through April 22, 2019. The most recent designation of ANSI/UL 489 as an American National Standard (ANSI) occurred on April 22, 2019. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

The Department of Defense (DoD) has adopted UL 489 on January 18, 1985. The publication of revised pages or a new edition of this Standard will not invalidate the DoD adoption.

NEMA (National Electrical Manufacturers Association) has adopted UL 489 (US Requirements) on August 11, 1999 as NEMA Standard AB1. The publication of revised pages or a new edition of this Standard will not invalidate the NEMA adoption.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL's Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call toll-free 1-888-853-3503.

---

## CONTENTS

<b>PREFACE .....</b>	<b>14</b>
----------------------	-----------

## INTRODUCTION

1 Scope .....	16
2 Definitions .....	16
3 Components .....	23
4 Units of Measurement .....	23
5 Reference Publications .....	23

## MOLDED CASE CIRCUIT BREAKERS

6 Construction .....	24
6.1 All types .....	24
6.1.1 General .....	24
6.1.2 Corrosion Protection .....	25
6.1.3 Cases – Insulating Material .....	25
6.1.4 Current-Carrying Parts .....	25
6.1.5 Operating Mechanism .....	31
6.1.6 Spacings .....	33
6.2 Current-limiting circuit breakers .....	39
6.3 Instantaneous-trip circuit breakers .....	39
6.4 Circuit breaker and ground-fault circuit-interrupters .....	39
6.4.1 General .....	39
6.4.2 Supervisory Circuit .....	39
6.5 Circuit breakers with equipment ground-fault protection .....	40
6.6 Integrally fused circuit breakers, high-fault protectors, and high-fault modules .....	40
6.7 Adjustable circuit breakers .....	41
6.8 Heating, air conditioning, and refrigeration (HACR) circuit breakers .....	42
6.9 Remotely-operated circuit breakers .....	42
6.10 Switching duty (SWD) rated circuit breakers .....	42
6.11 400 Hz rated circuit breakers .....	42
6.12 Draw-out circuit breakers .....	42
6.13 Series-connected circuit breakers .....	43
6.14 Interchangeable-trip circuit breakers .....	43
6.15 High-intensity-discharge (HID) type circuit breakers .....	43
6.16 Circuit breakers for use with 16 or 18 AWG wire .....	44
6.17 4-pole circuit breakers .....	44
6.18 Circuit breakers and surge protective devices .....	44
6.19 Special purpose not for general use circuit breakers .....	44
6.20 Circuit breakers with electronic trip units .....	44
7 Tests .....	44
7.1 Standard circuit breakers .....	44
7.1.1 General .....	44
7.1.2 Calibration Tests .....	51
7.1.3 Overload Test .....	54
7.1.4 Temperature Test .....	58
7.1.5 Endurance Test .....	66
7.1.6 Calibration Test .....	69
7.1.7 Interrupting Test .....	69

7.1.8	Trip-out at 200 Percent Current Test .....	78
7.1.9	Dielectric Voltage-Withstand Test .....	78
7.1.10	Miscellaneous Tests .....	79
7.1.11	High Available Fault Current Test Sequence .....	80
7.2	Current-limiting circuit breakers .....	87
7.2.1	General .....	87
7.2.2	Calibration test .....	88
7.2.3	Interrupting and Let-Through Measurement Test .....	88
7.2.4	Trip-Out Test .....	93
7.2.5	Dielectric Voltage-Withstand test .....	93
7.2.6	Interpretation of Results .....	93
7.3	Instantaneous-trip circuit breakers .....	93
7.3.1	General .....	93
7.4	Circuit breaker and ground-fault circuit-interrupters .....	95
7.4.1	General .....	95
7.4.2	Circuit Breaker Test Sequences .....	95
7.4.3	High Available Fault-Current Circuits .....	100
7.4.4	Ground-Fault Circuit-Interrupter Tests .....	101
7.5	Circuit breakers with equipment ground-fault protection .....	104
7.5.1	General .....	104
7.5.2	Circuit Breaker Test Sequences .....	104
7.5.3	High Available Fault Current Circuits Tests .....	110
7.5.4	Ground Fault Protection Tests .....	111
7.6	Integrally fused circuit breakers, high-fault protectors, and high-fault modules .....	111
7.7	Adjustable circuit breakers .....	114
7.7.1	General .....	114
7.7.2	Adjustable Current Setting ( $I_p$ ) .....	114
7.7.3	Short-Time Delay .....	115
7.7.4	Instantaneous Pick-Up Setting .....	115
7.7.5	Ground-Fault Trip Response .....	115
7.8	Heating, air conditioning, and refrigeration (HACR) circuit breakers .....	116
7.9	Remotely-operated circuit breakers .....	116
7.10	Switching duty (SWD) rated circuit breakers .....	116
7.11	400 Hz rated circuit breakers .....	117
7.12	Draw-out circuit breakers .....	117
7.12.1	Electrical Continuity Test .....	117
7.12.2	Dielectric Voltage-Withstand Test .....	118
7.13	Series-connected circuit breakers .....	118
7.13.1	General .....	118
7.13.2	Selection of Test Samples .....	118
7.13.3	Test Procedure .....	120
7.13.4	Closing Test .....	123
7.13.5	Interrupting Test .....	124
7.13.6	Intermediate Interrupting Test .....	124
7.13.7	Trip-Out Test .....	125
7.13.8	Other functionality calibration test .....	125
7.13.9	Dielectric Voltage-Withstand Test .....	125
7.13.10	Interpretation of Test Results .....	125
7.14	Interchangeable-trip circuit breakers .....	126
7.15	High-intensity-discharge (HID) type circuit breakers .....	126
7.16	Circuit breakers for use with 16 or 18 AWG wire .....	127
7.16.1	General .....	127
7.16.2	Circuit Breaker Test Sequences .....	127



7.16.3 High Available Fault Current Test Sequence .....	128
7.16.4 Thermal Withstand Sequence .....	128
7.17 4-pole circuit breakers .....	128
7.18 Joints with insulators .....	128
7.19 Circuit breakers and surge protective devices .....	129
7.20 Special purpose not for general use circuit breakers .....	129
8 Ratings .....	129
9 Markings .....	130
9.1 General .....	130
9.1.1 Details .....	131
9.1.2 Terminations .....	136
9.1.3 Interrupting Ratings .....	138
9.1.4 Special Markings .....	138
9.2 Current-limiting circuit breakers .....	139
9.3 Instantaneous-trip circuit breakers .....	139
9.4 Circuit breaker and ground-fault circuit-interrupters .....	139
9.5 Circuit breakers with equipment ground-fault protection .....	140
9.6 Integrally fused circuit breakers and high fault protectors .....	141
9.7 Adjustable circuit breakers .....	141
9.8 Heating, air conditioning, and refrigeration (HACR) circuit breakers .....	142
9.9 Remotely-operated circuit breakers .....	142
9.10 Switching duty (SWD) rated circuit breakers .....	142
9.11 400 Hz rated circuit breakers .....	142
9.12 Draw-out circuit breakers .....	142
9.13 Series-connected circuit breakers .....	142
9.14 Interchangeable-trip circuit breakers .....	143
9.15 High-intensity-discharge (HID) type circuit breakers .....	143
9.16 Rating plugs .....	144
9.17 Circuit breakers for use with 16 or 18 AWG wire .....	144
9.18 4-pole circuit breakers .....	144

## MOLDED CASE SWITCHES

10 Construction .....	144
10.1 All types .....	144
10.1.1 General .....	145
10.1.2 Corrosion Protection .....	145
10.1.3 Cases – Insulating Material .....	145
10.1.4 Current-Carrying Parts .....	145
10.1.5 Operating Mechanism .....	145
10.1.6 Spacings .....	146
10.2 Draw-out switches .....	146
11 Performance .....	146
11.1 General .....	146
11.1.1 Details .....	146
11.1.2 Temperature Test .....	149
11.1.3 Overload Test .....	150
11.1.4 Endurance Test .....	150
11.1.5 Dielectric Voltage-Withstand Test .....	150
11.1.6 Miscellaneous Tests .....	150
11.1.7 Withstand Test .....	151
11.2 Draw-out switches .....	156
11.2.1 General .....	156

11.2.2 Electrical Continuity Test .....	156
12 Ratings .....	156
13 Markings .....	157

## ACCESSORIES

14 Construction .....	160
14.1 General .....	160
14.1.1 General Details .....	160
14.1.2 Installation .....	160
14.1.3 Mounting .....	162
14.1.4 Field Wiring .....	162
14.1.5 Strain Relief .....	163
14.1.6 Spacings .....	163
14.2 Shunt trip release devices .....	164
14.3 Undervoltage-trip release devices .....	164A
14.4 Overvoltage-trip release devices .....	165
14.5 Electrical operators .....	165
14.6 Alarm and auxiliary switches .....	165
14.7 Mechanical interlock .....	166
14.8 Lock-off device .....	166
14.9 Lock-on device .....	166
15 Performance .....	167
15.1 General .....	167
15.2 Shunt-trip release devices .....	169
15.2.1 Temperature .....	169
15.2.2 Overvoltage Test .....	169
15.2.3 Operation Test .....	169
15.2.4 Endurance Test .....	169
15.2.5 Dielectric Voltage-Withstand Test .....	170
15.3 Undervoltage-trip release devices .....	170
15.3.1 Temperature .....	170
15.3.2 Overvoltage Test .....	171
15.3.3 Operation Test .....	171
15.3.4 Endurance Test .....	172
15.3.5 Dielectric Voltage-Withstand Test .....	172
15.3.6 Contact Closing Test .....	172
15.4 Overvoltage-trip release devices .....	173
15.4.1 Temperature .....	173
15.4.2 Overvoltage Test .....	173
15.4.3 Operation Test .....	173
15.4.4 Endurance Test .....	173
15.4.5 Dielectric Voltage-Withstand Test .....	174
15.5 Electrical operators .....	174
15.5.1 Endurance Test .....	174
15.5.2 Dielectric Voltage-Withstand Test .....	175
15.6 Alarm and auxiliary switches .....	175
15.6.1 Temperature .....	175
15.6.2 Overload Test .....	175
15.6.3 Endurance Test .....	177
15.6.4 Dielectric Voltage-Withstand Test .....	177
15.7 Mechanical interlock .....	177
15.8 Lock-off device .....	178