



UL 60947-5-1

STANDARD FOR SAFETY

Low-Voltage Switchgear and Controlgear – Part
5-1: Control Circuit Devices and Switching
Elements – Electromechanical Control Circuit
Devices

UL Standard for Safety for Low-Voltage Switchgear and Controlgear – Part 5-1: Control Circuit Devices and Switching Elements – Electromechanical Control Circuit Devices, UL 60947-5-1

Third Edition, Dated March 28, 2014

Summary of Topics

UL 60947-5-1 is an adoption of the third edition of IEC 60947-5-1 published in November 2003.

The third edition of UL 60957-5-1, dated March 28, 2014, has been issued and reflects the ANSI approval date as an American National Standard and is based off the proposals dated August 24, 2007, February 8, 2013 and November 1, 2013. Please note that the national difference document incorporates all of the U.S. national differences for UL 60947-5-1.

The new requirements are substantially in accordance with Proposal(s) on this subject dated August 24, 2007, February 8, 2013 and November 1, 2013.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard “as is” without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL’s liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL’s Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney’s fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser’s computer system.

The requirements in this Standard are now in effect, except for those paragraphs, sections, tables, figures, and/or other elements of the Standard having future effective dates as indicated in the note following the affected item. The prior text for requirements that have been revised and that have a future effective date are located after the Standard, and are preceded by a “SUPERSEDED REQUIREMENTS” notice.

No Text on This Page



CSA Group
CAN/CSA-C22.2 No. 60947-5-1-14
First Edition
(IEC 60947-5-1:2003, MOD)



Underwriters Laboratories Inc.
UL 60947-5-1
Third Edition

Low-Voltage Switchgear and Controlgear – Part 5-1: Control Circuit Devices and Switching Elements – Electromechanical Control Circuit Devices

March 28, 2014

This standard is based on IEC 60947-5-1, Edition 3 (2003).



ANSI/UL 60947-5-1-2014

Approved by



Standards Council of Canada
Conseil canadien des normes

This is a preview. [Click here to purchase the full publication.](#)

Commitment for Amendments

This standard is issued jointly by the Canadian Standards Association (operating as “CSA Group”) and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of this standard may be submitted to CSA Group or UL at any time. Revisions to this standard will be made only after review and approval by CSA Group and UL. Revisions of this standard will be made by issuing revised or additional pages bearing their date of issue.

ISBN 978-1-77139-293-8 © 2014 CSA Group

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquires@csagroup.org and include “Proposal for change” in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group’s Online Store at shop.csa.ca or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2014 Underwriters Laboratories Inc.

UL’s Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL’s Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Third Edition. The most recent designation of ANSI/UL 60947-5-1 as an American National Standard (ANSI) occurred on March 28, 2014. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface. The National Difference Page and IEC Foreword are also excluded from the ANSI approval of IEC-based standards.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL’s On-Line Collaborative Standards Development System (CSDS) at <http://csds.ul.com>.

To purchase UL Standards, visit Comm 2000 at http://www.comm-2000.com/help/how_to_order.aspx or call toll-free 1-888-853-3503.

CONTENTS

Preface	8
NATIONAL DIFFERENCES	11
FOREWORD	12
1 General	14
1.1 Scope and object	14
1.2 Normative references	16
2 Definitions	18
2.1 Basic definitions	20
2.2 CONTROL SWITCHES	21
2.3 Parts of CONTROL SWITCHES	23
2.4 Operation of CONTROL SWITCHES	25
3 Classification	27
3.1 Contact elements	27
3.2 CONTROL SWITCHES	28
3.3 CONTROL CIRCUIT DEVICES	28
3.4 Time delay SWITCHING ELEMENTS	28
3.5 CONTROL SWITCH mounting	28
4 Characteristics	28
4.1 Summary of characteristics	28
4.2 Type of CONTROL CIRCUIT DEVICE OR SWITCHING ELEMENT	29
4.3 Rated and limiting values for SWITCHING ELEMENTS	30
4.4 Utilization categories for SWITCHING ELEMENTS	32
4.5 Vacant	35
4.6 Vacant	35
4.7 Vacant	35
4.8 Vacant	35
4.9 Switching overvoltages	35
4.10 ELECTRICALLY SEPARATED CONTACT ELEMENTS	35
4.11 ACTUATING QUANTITIES for PILOT SWITCHES	35
4.12 PILOT SWITCHES having two or more CONTACT ELEMENTS	36
5 Product information	36
5.1 Nature of information	36
5.2 Marking	37
5.3 Instructions for installation, operation and maintenance	40
5.4 Additional information	40
6 Normal service, mounting and transport conditions	40
7 Constructional and performance requirements	42
7.1 Constructional requirements	42
7.2 Performance requirements	45
7.3 Electromagnetic compatibility (EMC)	47
8 Tests	49
8.1 Kinds of test	49
8.2 Compliance with constructional requirements	51
8.3 Performance	52

Annex A (normative)**Electrical ratings based on utilization categories****Annex B (normative)****Example of inductive test loads for d.c. contacts**

B.1 General	77
B.2 Construction	77

Annex C (normative)**Special tests – Durability tests**

C.1 General	79
C.1.1 Durability declaration	79
C.1.2 Test procedures	79
C.1.3 Failure criteria	80
C.2 Mechanical durability	80
C.2.1 General	80
C.2.2 Test procedures	80
C.3 Electrical durability	80
C.3.1 General	80
C.3.2 Test procedures	81

Annex D (normative)**Clearances and creepage distances of CONTROL CIRCUIT DEVICES**

D.1 Scope	84
D.2 Definitions	84
D.3 General	84
D.4 Determination of clearances and creepage distances	85
D.5 Minimum values of clearances and creepage distances	85

Annex E (normative)

Items subject to agreement between manufacturer and user

Annex F (normative)

Class II CONTROL CIRCUIT DEVICES insulated by ENCAPSULATION Requirements and tests

F.1 General	90
F.2 Definitions	90
F.5 Marking	90
F.7 Instructional and functional requirements	91
F.7.1 Choice of COMPOUND	91
F.7.2 Adhesion of the COMPOUND	92
F.7.3 Dielectric properties	92
F.8 Tests	93
F.8.1 Kind of tests	93

Annex G (normative)

Additional requirements for CONTROL CIRCUIT DEVICES with integrally connected cables

G.1 General	96
G.2 Definitions	96
G.7 Constructional and performance requirements	96
G.7.1 Constructional requirements	96
G.7.2 Performance requirements	97
G.8 Tests	97
G.8.1 Type tests	97
G.8.2 Results to be obtained	98

Annex H (normative)

Additional requirements for semiconductor SWITCHING ELEMENTS for CONTROL CIRCUIT DEVICES

H.1 General	99
H.1.1 Scope	99
H.1.2 Object	99
H.2 Definitions	99
H.3 Classification	99
H.3.1 Semiconductor SWITCHING ELEMENTS	99
H.4 Characteristics	99
H.4.1 Rated voltage	99
H.4.2 Utilization categories	100
H.5 Product information	100
H.7 Constructional and performance requirements	101

H.7.1	Performance requirements	101
H.7.2	Ability to make under abnormal and normal conditions	101
H.7.3	Conditional short-circuit current	102
H.7.4	Electromagnetic compatibility (EMC)	102
H.8	Tests	102
H.8.1	Type tests	102
H.8.2	VOLTAGE DROP (U_d)	102
H.8.3	MINIMUM OPERATIONAL CURRENT (I_m)	103
H.8.4	OFF-STATE CURRENT (I_o)	103
H.8.5	Making and breaking capacities	104
H.8.6	Performance under short-circuit current conditions	104
H.8.7	Verification of electromagnetic compatibility	105

Annex J (normative)

Special requirements for INDICATOR LIGHTS and INDICATING TOWERS

J.1	General	109
J.1.1	Scope	109
J.1.2	Object	109
J.2	Definitions	109
J.3	Classification	109
J.4	Characteristics	110
J.4.1	Rated operational voltage of an INDICATOR LIGHT	110
J.4.2	Rated thermal power of an INDICATOR LIGHT	110
J.4.3	Rated values of the lamp	110
J.5	Product information	110
J.6	Normal service, mounting and transport conditions	110
J.7	Constructional and performance requirements	111
J.8	Tests	112
J.8.3	Tests for INDICATOR LIGHTS and INDICATING TOWERS	112
J.8.4	Shock and vibration	115
J.8.5	Degree of protection for INDICATING TOWERS	116

Annex K (normative)

Special requirements for CONTROL SWITCHES WITH DIRECT OPENING ACTION

K.1	General	117
K.1.1	Scope	117
K.1.2	Object	117
K.2	Definitions	117
K.3	Classification	117
K.4	Characteristics	118
K.4.4	Utilization categories for SWITCHING ELEMENTS	118
K.5	Product information	118
K.5.2	Marking	118
K.5.4	Additional information	119
K.6	Normal service, mounting and transport conditions	119