

UL 773A

STANDARD FOR SAFETY

Nonindustrial Photoelectric Switches for Lighting Control



JUNE 26, 2020 - UL 773A tr1

UL Standard for Safety for Nonindustrial Photoelectric Switches for Lighting Control, UL 773A

Sixth Edition, Dated January 19, 2016

Summary of Topics

This revision of ANSI/UL 773A dated June 26, 2020 incorporates the Addition of Requirements for Manufacturer's Recommended Field Wiring Terminal Tightening torque to Clause 8.1.13 and Table 42.1.

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated November 15, 2019.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

tr2 JUNE 26, 2020 - UL 773A

No Text on This Page

This is a preview. Click here to purchase the full publication.



Association of Standardization and Certification NMX-J-715-ANCE First Edition



CSA Group CSA C22.2 No. 284-16 First Edition



Underwriters Laboratories Inc. UL 773A Sixth Edition

Nonindustrial Photoelectric Switches for Lighting Control

January 19, 2016

(Title Page Reprinted: June 26, 2020)





Commitment for Amendments

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (operating as "CSA Group"), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA Group, or UL at anytime. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA Group, and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA Group and UL pages.

Copyright © 2016 ANCE

Rights reserved in favor of ANCE.

ISBN 978-1-77139-732-2 © 2016 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review five years from the date of publication, and suggestions for its improvement will be referred to the appropriate committee. To submit a proposal for change, please send the following information to inquiries@csagroup.org and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table, and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at store. csagroup.org or call toll-free 1-800-463-6727 or 416-747-4044.

Copyright © 2020 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Sixth Edition including revisions through June 26, 2020. The most recent designation of ANSI/UL 773A as an American National Standard (ANSI) occurred on June 26, 2020. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

The Department of Defense (DoD) has adopted UL 773A on June 13, 1989. The publication of revised pages or a new edition of this Standard will not invalidate the DoD adoption.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at https://csds.ul.com.

To purchase UL Standards, visit UL's Standards Sales Site at http://www. shopulstandards.com/HowToOrder.aspx or call toll-free 1-888-853-3503.

CONTENTS

	DUCTION	
1	Scope	
2	General	
_	2.1 Components	
	2.2 Units of measurement	
	2.3 Undated references	
	2.4 Normative references.	
	2.5 Definitions	
	Suitability for control of loads	
ICT		
	TRUCTION	
3	Enclosures	
	3.1 General	
	3.2 Metal Enclosures	
	3.3 Polymeric enclosure	
	3.4 Snap-on covers	
4	Accessibility of Uninsulated Live Parts	1
5	Openings in Enclosure	1
	5.7 Knockouts	1
6	Provision for Mounting	1
7	Protection Against Corrosion	
8	Supply Connections	
	8.1 Permanently connected units	
	8.2 Outlet-box-mounted units	
	8.3 Cord-connected or direct plug-in units	
	8.4 Receptacles Incorporated in Equipment	
	8.5 Direct Plug-in	
	8.6 Strain relief	
	8.7 Bushings	
۵		
9	Bonding/Grounding	
	9.7 Bonding/Grounding lead requirements	
	9.8 Bonding/Grounding lead securement	
10	, ,	
11	o	
12		2
13	1 5	
	13.4 Limited power point determination	
	13.5 Printed-wiring board abnormal operation test	
14	Bonding of Internal Parts for Bonding/Grounding	3
	14.1 General	
	14.2 Construction and connection	3
15		
16	·	
17	· · · · · · · · · · · · · · · · · · ·	
(FO	DRMANCE	
18	General	3

This is a preview. Click here to purchase the full publication.

19	Overload and Endurance Testing – General	
	19.1 General	
	19.2 Air-gap switch used in series with solid state switching devices	41
20	Overload Test	
21	Endurance Test	
22	Temperature Test	
23	Dielectric Voltage-Withstand Test	
24	Operation Test	
25	Abnormal Switching Test	
26	Limited Short-Circuit Test for Solid-State Switching Control	
27	Rain Test	
28	Exposure to Humid Atmospheres	58
29	Permanence of Marking Tests	58
	29.1 Requirements for pressure sensitive labels	58
	29.2 Oven-aging test	
	29.3 Immersion test.	
	29.4 Standard-atmosphere test	
	29.5 Unusual-conditions exposure test	
30	Bonding/Grounding Connection Tests	
30		
	30.1 Creep and mold stress relief	
	30.2 Overcurrent tests	
	30.3 Impedance test	
31	Leakage Current Test	
32	Leakage Current Following Humidity Conditioning Test	64
33	Power Supply Abnormal Tests	64
	33.1 General	64
	33.2 Output loading	65
	33.3 Power supply burnout	
	33.4 Power supply abnormal test	
34	Component Breakdown Test	
01	34.1 Effects on equipment	
	34.2 Effects on controlled load	
	34.3 Component evaluation	
25		
35	Strain Relief and Lead Securement Tests	
	35.1 Strain relief – cord-connected device	
	35.2 Lead securement – for self enclosed devices with nipples	
	35.3 Lead securement – outlet box mounted devices	
36	Knockout Test	67
37	Mechanical integrity	68
	37.1 Impact test for outdoor devices	68
	37.2 Crush test	
38	Conduit Connection to Enclosure Tests	
	38.1 Polymeric Enclosures	
	38.2 Metallic enclosure threaded opening test	
	38.3 Metallic enclosure conduit hub test	
39	Snap-On Cover Test	
40	Tests on 120V Devices with Varistors	70
40		
	40.3 Test requirements	70
MANUFA	ACTURING AND PRODUCTION TESTS	
41	Dielectric Voltage-Withstand Test	71
KATING	S, MARKINGS AND INSTRUCTIONS	
40	Deteile	70
42	Details	/ 2

This is a preview. Click here to purchase the full publication.

43	Instructions	.77
44	Marking requirements for minimum outlet box volume	.78