



# UL 674

## STANDARD FOR SAFETY

Electric Motors and Generators for Use  
in Hazardous (Classified) Locations



UL Standard for Safety for Electric Motors and Generators for Use in Hazardous (Classified) Locations, UL 674

Fifth Edition, Dated May 31, 2011

### **Summary of Topics**

***This revision to ANSI/UL 674 dated December 28, 2020 includes the withdrawal and replacement of UL 508C with UL 61800-5-1 in Annex [B](#) and CSA standards referenced in Annex B as well as their corresponding entries in Annex [A](#).***

***As noted in the Commitment for Amendments statement located on the back side of the title page, CSA, UL, and ANCE are committed to updating this harmonized standard jointly. CSA and UL will issue revisions to this standard bearing their date of issue. ANCE will incorporate the same revisions of the standard bearing the same date of issue as the CSA and UL pages.***

Text that has been changed in any manner or impacted by UL's electronic publishing system is marked with a vertical line in the margin.

The new and revised requirements are substantially in accordance with Proposal(s) on this subject dated September 11, 2020.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form by any means, electronic, mechanical photocopying, recording, or otherwise without prior permission of UL.

UL provides this Standard "as is" without warranty of any kind, either expressed or implied, including but not limited to, the implied warranties of merchantability or fitness for any purpose.

In no event will UL be liable for any special, incidental, consequential, indirect or similar damages, including loss of profits, lost savings, loss of data, or any other damages arising out of the use of or the inability to use this Standard, even if UL or an authorized UL representative has been advised of the possibility of such damage. In no event shall UL's liability for any damage ever exceed the price paid for this Standard, regardless of the form of the claim.

Users of the electronic versions of UL's Standards for Safety agree to defend, indemnify, and hold UL harmless from and against any loss, expense, liability, damage, claim, or judgment (including reasonable attorney's fees) resulting from any error or deviation introduced while purchaser is storing an electronic Standard on the purchaser's computer system.

No Text on This Page



Association of Standardization and Certification  
NMX-J-652-ANCE  
First Edition



CSA Group  
CSA C22.2 No. 145-11  
Third Edition



Underwriters Laboratories Inc.  
UL 674  
Fifth Edition

## Electric Motors and Generators for Use in Hazardous (Classified) Locations

May 31, 2011

(Title Page Reprinted: December 28, 2020)



ANSI/UL 674-2020

This is a preview. [Click here to purchase the full publication.](#)

## Commitment for Amendments

This standard is issued jointly by the Association of Standardization and Certification (ANCE), the Canadian Standards Association (operating as "CSA Group"), and Underwriters Laboratories Inc. (UL). Comments or proposals for revisions on any part of the standard may be submitted to ANCE, CSA Group, or UL at any time. Revisions to this standard will be made only after processing according to the standards development procedures of ANCE, CSA Group, and UL. CSA Group and UL will issue revisions to this standard by means of a new edition or revised or additional pages bearing their date of issue. ANCE will incorporate the same revisions into a new edition of the standard bearing the same date of issue as the CSA Group and UL pages.

---

## Copyright © 2018 ANCE

Rights reserved in favor of ANCE.

---

## ISBN 978-1-55491-633-7 © 2018 Canadian Standards Association

All rights reserved. No part of this publication may be reproduced in any form whatsoever without the prior permission of the publisher.

This Standard is subject to review within five years from the date of publication, and suggestions for its improvement will be referred to the appropriated committee. To submit a proposal for change, please send the following information to [inquiries@csagroup.org](mailto:inquiries@csagroup.org) and include "Proposal for change" in the subject line: Standard designation (number); relevant clause, table and/or figure number; wording of the proposed change; and rationale for the change.

To purchase CSA Group Standards and related publications, visit CSA Group's Online Store at [store.csagroup.org](http://store.csagroup.org) or call toll-free 1-800-463-6727 or 416-747-4044.

---

## Copyright © 2020 Underwriters Laboratories Inc.

UL's Standards for Safety are copyrighted by UL. Neither a printed nor electronic copy of a Standard should be altered in any way. All of UL's Standards and all copyrights, ownerships, and rights regarding those Standards shall remain the sole and exclusive property of UL.

This ANSI/UL Standard for Safety consists of the Fifth Edition including revisions through December 28, 2020. The most recent designation of ANSI/UL 674 as an American National Standard (ANSI) occurred on December 28, 2020. ANSI approval for a standard does not include the Cover Page, Transmittal Pages, Title Page (front and back), or the Preface.

The Department of Defense (DoD) has adopted UL 674 on November 6, 1987. The publication of revised pages or a new edition of this Standard will not invalidate the DoD adoption.

Comments or proposals for revisions on any part of the Standard may be submitted to UL at any time. Proposals should be submitted via a Proposal Request in UL's On-Line Collaborative Standards Development System (CSDS) at <https://csds.ul.com>.

To purchase UL Standards, visit UL's Standards Sales Site at <http://www.shopulstandards.com/HowToOrder.aspx> or call toll-free 1-888-853-3503.

---

## CONTENTS

<b>Preface .....</b>	<b>7</b>
1 Scope .....	9
2 Conditions for Use .....	9
3 Normative References .....	10
4 Dated and Undated References .....	10
5 Definitions .....	10
6 Components .....	11
7 Units of Measurement .....	11
8 Terminology .....	11
9 Zone and Group Equivalency .....	11
9.1 Class I, Zone 1, Group IIA .....	11
9.2 Class I, Zone 1, Group IIB .....	11
9.3 Class I, Zone 1, Group IIB+H2 .....	12
9.4 Zone 20 and 21 .....	12
10 Enclosures .....	12
10.1 Material .....	12
10.2 Porosity in castings .....	12
10.3 Thickness .....	12
10.4 Strength .....	13
11 Joints in Enclosure .....	13
11.1 General .....	13
11.2 Groups C and D locations .....	14
11.3 Group B locations .....	15
11.4 Class II Locations .....	16
11.5 Class I and II Locations – Main poles and interpoles of D.C. motors .....	17
12 Holes in Enclosure .....	17
13 Shaft Openings .....	18
13.1 General .....	18
13.2 Groups F and G locations .....	19
13.3 Group E locations .....	19
14 Drain and Breather Plugs in Enclosure .....	19
15 Air-Gap Gauge Plugs in Enclosure .....	20
16 Devices with Operating Rods or Spindles .....	20
17 Protection Against Corrosion .....	20
17.1 General .....	20
17.2 Submersible sewage-pump motor .....	20
18 Materials Applied to Joint Surfaces .....	21
19 Field-Wiring Connections .....	21
19.1 Permanently connected motors .....	21
19.2 Field wiring leads .....	22
19.3 Equipment grounding terminals and leads .....	24
20 Cord-Connected Motors .....	26
20.1 General .....	26
20.2 Terminal enclosure .....	26
20.3 Conductor seal .....	27
20.4 Packing gland .....	27
20.5 Strain relief .....	27
20.6 Bonding for grounding .....	28
20.7 Equipment grounding .....	28
20.8 Attachment of threaded parts .....	29
21 Assemblies of Equipment .....	29
21.1 General .....	29

	21.2 Electric brake .....	29
22	External Fans and Fan Guards .....	29
	22.1 Materials .....	29
	22.2 Fan-cooled motor .....	29
23	Gasoline Submersible Motors .....	30
	23.1 General .....	30
	23.2 Lubrication .....	30
	23.3 Mechanical seal .....	30
24	Leakage Detectors .....	30
	24.1 Submersible sewage-pump motor .....	30
	24.2 Cord-connected submersible sewage-pump motor .....	30
25	Maximum External Surface Temperatures .....	30
26	Devices for Limiting External Surfaces Temperatures .....	31
27	Spacings .....	31
	27.1 Motors rated 1500 volts or less .....	31
	27.2 Motors rated more than 1500 volts .....	33
28	Test Voltages and Test Conditions .....	33
29	Instrumentation – Temperature Measurements .....	34
30	Variable-Frequency Inverter-Drive Motors .....	34
31	Temperature Tests – General .....	35
32	Temperature Tests on Sinewave Power for Single Speed or Multi-Speed Motors .....	35
	32.1 Normal temperature test .....	35
	32.2 Running-overload test .....	35
	32.3 Running-overload to burnout test .....	36
	32.4 Single-phasing test .....	36
	32.5 Locked-rotor test .....	36
	32.6 72-Hour locked-rotor test .....	36
	32.7 Air test .....	36
	32.8 Dry-dust blanket test .....	37
	32.9 Moist-dust blanket test – Group G locations .....	37
33	Temperature Tests for Variable-Frequency Inverter-Drive Motors .....	38
	33.1 Normal temperature test .....	38
	33.2 Running-overload test .....	38
	33.3 Running-overload to burnout test .....	38
	33.4 Locked-rotor test .....	39
	33.5 Air test .....	39
	33.6 Dry-dust blanket test .....	39
	33.7 Moist-dust blanket test – Group G locations .....	39
	33.8 Tests on fan-duty and air-over motors with temperature-limiting devices .....	40
34	Dielectric-Voltage Withstand Test .....	40
35	Dust-Penetration Test .....	41
36	Explosion Test .....	42
	36.1 General .....	42
	36.2 Explosion pressure test .....	43
	36.3 Flame propagation test .....	43
	36.4 Exceptions for non-standard joints .....	44
37	Over Pressure Test on Enclosures .....	44
38	Tests on Temperature-Limiting Devices for Limiting External Surface Temperature .....	44
	38.1 Arc-rupturing tests for thermal cut-off device in D.C. motor circuit .....	44
	38.2 Temperature-limiting device in the motor-control circuit .....	44
	38.3 Overload test .....	44
	38.4 Endurance test .....	44
	38.5 Calibration test .....	45
39	Secureness Test on Conduit Hubs .....	45
40	Electrical-Resistance Test .....	45
41	Accelerated-Aging Test on Bushings .....	45



42	Cord-Pull Test .....	46
43	Rough-Usage Test.....	46
44	Drop Test.....	46
45	Gasoline-Leakage Test .....	47
46	Non-Metallic Fans and Fan Guards Test.....	47
	46.1 General.....	47
	46.2 Conductivity test .....	47
	46.3 Accumulation of static electricity test .....	48
47	Pull Test on Tubes .....	48
48	Sealing Compounds Test .....	49
49	Low Ambient-Duty Motors.....	50
	49.1 General.....	50
	49.2 Construction.....	50
	49.3 Explosion test.....	50
	49.4 Drop test on lead seal .....	50
	49.5 Manufacturing and Production Tests – Dielectric Voltage-Withstand Test .....	51
50	Grounding-Continuity Test.....	52
51	Markings.....	52

## **Annex A (normative) Standard References**

## **Annex B (informative) Standards for components**

B1	Component Standards .....	83
----	---------------------------	----

## **Annex C (normative) Construction for Waiver of Explosion Tests**

C1	Explosion tests per the exception to <a href="#">36.1.2</a> .....	84
C2	Joints.....	84
	C2.1 General .....	84
	C2.2 Threaded Joints .....	84
	C2.3 Bolts in Joint Width.....	84
	C2.4 Through-bolts .....	84
C3	Shaft Openings.....	84
	C3.1 Class I Locations.....	84

No Text on This Page